



# SAFETY DATA SHEET

#1173

SX31

## 1. Identification

Product number 1000008686  
 Product identifier MR. JINX  
 Company information Claire Manufacturing Co.  
 1005 S. Westgate Drive  
 Addison, IL 60101 United States  
 Company phone General Assistance 1-630-543-7600  
 Emergency telephone US 1-866-836-8855  
 Emergency telephone outside US 1-952-852-4646  
 Version # 01  
 Recommended use Cleaner  
 Recommended restrictions None known.

## 2. Hazard(s) identification

Physical hazards Gases under pressure Liquefied gas  
 Health hazards Serious eye damage/eye irritation Category 2A  
 Environmental hazards Not classified.  
 OSHA defined hazards Not classified.

### Label elements



Signal word Warning  
 Hazard statement Contains gas under pressure; may explode if heated. Causes serious eye irritation.  
 Precautionary statement  
 Prevention Wash thoroughly after handling. Wear eye/face protection.  
 Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
 Storage Protect from sunlight. Store in a well-ventilated place.  
 Disposal Dispose of waste and residues in accordance with local authority requirements.  
 Hazard(s) not otherwise classified (HNOC) None known.  
 Supplemental information None.

## 3. Composition/information on ingredients

### Mixtures

| Chemical name                            | Common name and synonyms | CAS number | %        |
|--|--------------------------|------------|----------|
| 2-Butoxyethanol                          |                          | 111-76-2   | 2.5 - 10 |
| Butane                                   |                          | 106-97-8   | 1 - 2.5  |
| EDTA Tetrasodium Salt                    |                          | 64-02-8    | 1 - 2.5  |
| Other components below reportable levels |                          |            | 90 - 100 |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.  
 Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

|   |  |
|---|--|
| <b>Eye contact</b>  | Rinse with water. Get medical attention if irritation develops and persists.   |
| <b>Ingestion</b>  | Rinse mouth. Get medical attention if symptoms occur.  |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.                  |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| <b>General information</b>  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.       |

## 5. Fire-fighting measures

|  |   |
|--|---|
| <b>Suitable extinguishing media</b>                                  | Water fog. Dry chemical powder. Carbon dioxide (CO2).   |
| <b>Unsuitable extinguishing media</b>                                | None known.   |
| <b>Specific hazards arising from the chemical</b>                    | Contents under pressure.  |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.   |
| <b>Fire-fighting equipment/instructions</b>                          | In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials.  |

## 6. Accidental release measures

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.                             |
| <b>Methods and materials for containment and cleaning up</b>               | Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. |
| <b>Environmental precautions</b>   | Avoid discharge into drains, water courses or onto the ground.  |

## 7. Handling and storage

|   |   |
|---|---|
| <b>Precautions for safe handling</b>                                | Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Level 1 Aerosol.<br><br>Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).   |

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                     | Type | Value                               |
|--------------------------------|------|-------------------------------------|
| 2-Butoxyethanol (CAS 111-76-2) | PEL  | 240 mg/m <sup>3</sup><br><br>50 ppm |

**US. ACGIH Threshold Limit Values**

| Components                     | Type | Value    |
|--------------------------------|------|----------|
| 2-Butoxyethanol (CAS 111-76-2) | TWA  | 20 ppm   |
| Butane (CAS 106-97-8)          | STEL | 1000 ppm |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Components                     | Type | Value                             |
|--------------------------------|------|-----------------------------------|
| 2-Butoxyethanol (CAS 111-76-2) | TWA  | 24 mg/m <sup>3</sup>              |
| Butane (CAS 106-97-8)          | TWA  | 5 ppm                             |
|                                |      | 1900 mg/m <sup>3</sup><br>800 ppm |

**Biological limit values****ACGIH Biological Exposure Indices**

| Components                     | Value    | Determinant                              | Specimen            | Sampling Time |
|--------------------------------|----------|--|---------------------|---------------|
| 2-Butoxyethanol (CAS 111-76-2) | 200 mg/g | Butoxyacetic acid (BAA), with hydrolysis | Creatinine in urine | *             |

\* - For sampling details, please see the source document.

**Exposure guidelines****US - California OELs: Skin designation**

2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

**US - Minnesota Haz Subs: Skin designation applies**

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

**US - Tennessee OELs: Skin designation**

2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation**

2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

If contact is likely, safety glasses with side shields are recommended.

**Hand protection**

For prolonged or repeated skin contact use suitable protective gloves.

**Skin protection****Other**

Wear suitable protective clothing.

**Respiratory protection**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance****Physical state**

Gas.

**Form**

Aerosol. Liquefied gas.

**Color**

Not available.

**Odor**

Pleasant.

**Odor threshold**

Not available.

**pH**

Not available.

|   |  |
|---|--|
| Melting point/freezing point                        | Not available.                             |
| Initial boiling point and boiling range             | 212 °F (100 °C) estimated                  |
| Flash point   | -156.0 °F (-104.4 °C) Propellant estimated |
| Evaporation rate                                    | Not available.                             |
| Flammability (solid, gas)                           | Not available.                             |
| <b>Upper/lower flammability or explosive limits</b> |  |
| Flammability limit - lower (%)                      | Not available.                             |
| Flammability limit - upper (%)                      | Not available.                             |
| Explosive limit - lower (%)                         | Not available.                             |
| Explosive limit - upper (%)                         | Not available.                             |
| Vapor pressure                                      | 60 - 75 psig @70F estimated                |
| Vapor density                                       | Not available.                             |
| Relative density                                    | Not available.                             |
| <b>Solubility(ies)</b>                              |  |
| Solubility (water)                                  | Not available.                             |
| Partition coefficient (n-octanol/water)             | Not available.                             |
| Auto-ignition temperature                           | Not available.                             |
| Decomposition temperature                           | Not available.                             |
| Viscosity   | Not available.                             |
| <b>Other information</b>                            |  |
| Flame extension                                     | 0 in estimated                             |
| Specific gravity                                    | 0.922 estimated                            |

## 10. Stability and reactivity

|                                    |  |
|------------------------------------|--|
| Reactivity                         | The product is stable and non-reactive under normal conditions of use, storage and transport.    |
| Chemical stability                 | Material is stable under normal conditions.  |
| Possibility of hazardous reactions | Hazardous polymerization does not occur.   |
| Conditions to avoid                | Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials. |
| Incompatible materials             | Strong oxidizing agents.   |
| Hazardous decomposition products   | No hazardous decomposition products are known.   |

## 11. Toxicological information

### Information on likely routes of exposure

|              |  |
|--------------|--|
| Ingestion    | Expected to be a low ingestion hazard.   |
| Inhalation   | Prolonged inhalation may be harmful.   |
| Skin contact | 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans. |

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

### Information on toxicological effects

#### Acute toxicity

| Components                            | Species    | Test Results   |
|---------------------------------------|------------|--|
| <b>2-Butoxyethanol (CAS 111-76-2)</b> |            |  |
| <b>Acute</b>                          |            |  |
| <i>Dermal</i>                         |            |  |
| LD50                                  | Guinea pig | 230 ml/kg, 24 Hours<br>7.3 ml/kg, 4 Days                 |
|                                       | Rabbit     | 450 ml/kg, 24 Hours<br>435 mg/kg, 24 Hours<br>0.63 ml/kg |
|                                       | Rat        | > 2000 mg/kg, 24 Hours                                   |
| <i>Inhalation</i>                     |            |  |
| LC50                                  | Rabbit     | 400 ppm, 7 Hours   |
|                                       | Rat        | 450 ppm, 4 Hours   |
| <i>Oral</i>                           |            |  |
| LD100                                 | Rabbit     | 695 mg/kg  |
| LD50                                  | Dog        | > 695 mg/kg  |
|                                       | Guinea pig | 1200 mg/kg   |
|                                       | Rat        | 530 - 2800 mg/kg   |

**Butane (CAS 106-97-8)**

**Acute**

*Inhalation*

LC50

Mouse

1237 mg/l, 120 Minutes

52 %, 120 Minutes

Rat

1355 mg/l

**EDTA Tetrasodium Salt (CAS 64-02-8)**

**Acute**

*Oral*

LD50

Rat

1658 mg/kg

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

2-Butoxyethanol (CAS 111-76-2)

3 Not classifiable as to carcinogenicity to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not applicable.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not likely, due to the form of the product.

**Chronic effects**

Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.

**12. Ecological information**

| Ecotoxicity                          |      | Harmful to aquatic life.                       |                                     |
|--------------------------------------|------|--|-------------------------------------|
| Product                              |      | Species  | Test Results                        |
| MR. JINX (CAS Mixture)               |      |  |                                     |
| <b>Aquatic</b>                       |      |  |                                     |
| Algae                                | IC50 | Algae  | 88.1875 mg/L, 72 Hours estimated    |
| Crustacea                            | EC50 | Daphnia  | 33640.2813 mg/L, 48 Hours estimated |
| Fish                                 | LC50 | Fish   | 1174.3357 mg/L, 96 Hours estimated  |
| Components                           |      | Species  | Test Results                        |
| 2-Butoxyethanol (CAS 111-76-2)       |      |  |                                     |
| <b>Aquatic</b>                       |      |  |                                     |
| Fish                                 | LC50 | Inland silverside ( <i>Menidia beryllina</i> ) | 1250 mg/l, 96 hours                 |
| EDTA Tertrasodium Salt (CAS 64-02-8) |      |  |                                     |
| <b>Aquatic</b>                       |      |  |                                     |
| Algae                                | IC50 | Algae  | 1.01 mg/L, 72 Hours                 |
| Fish                                 | LC50 | Bluegill ( <i>Lepomis macrochirus</i> )        | 472 - 500 mg/l, 96 hours            |

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Partition coefficient n-octanol / water (log Kow)**

2-Butoxyethanol 0.83

Butane 2.89

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**13. Disposal considerations**

**Disposal instructions** Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

**14. Transport information****DOT**

UN number UN1950

UN proper shipping name Aerosols

Transport hazard class(es)

Class 2.2

Subsidiary risk -

Label(s) 2.2

Packing group Not applicable.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Packaging exceptions 306  
Packaging non bulk None  
Packaging bulk None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

#### IATA

UN number UN1950  
UN proper shipping name Aerosols, non-flammable  
Transport hazard class(es)  
Class 2.2  
Subsidiary risk -  
Label(s) 2.2  
Packing group Not applicable.  
Environmental hazards No.  
ERG Code 2L  
Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

#### Other information

Passenger and cargo aircraft Allowed.

Cargo aircraft only Allowed.

Packaging Exceptions LTD QTY

#### IMDG


UN number UN1950  
UN proper shipping name AEROSOLS  
Transport hazard class(es)  
Class 2.2  
Subsidiary risk -  
Label(s) 2.2  
Packing group Not applicable.  
Environmental hazards  
Marine pollutant No.  
EmS Not available.  
Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Packaging Exceptions LTD QTY

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

#### DOT





## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
All components are on the U.S. EPA TSCA Inventory List.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - Yes  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

| Chemical name     | CAS number | Reportable quantity | Threshold planning quantity | Threshold planning quantity, lower value | Threshold planning quantity, upper value |
|-------------------|------------|---------------------|-----------------------------|--|--|
| Anhydrous Ammonia | 7664-41-7  | 100                 | 500 lbs                     |  |  |
| Benzyl chloride   | 100-44-7   | 100                 | 500 lbs                     |  |  |
| Hydrogen Peroxide | 7722-84-1  | 1000                | 1000 lbs                    |  |  |

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**  
Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Butane (CAS 106-97-8)

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations**

**US. Massachusetts RTK - Substance List**

2-Butoxyethanol (CAS 111-76-2)

Butane (CAS 106-97-8)

**US. New Jersey Worker and Community Right-to-Know Act**

2-Butoxyethanol (CAS 111-76-2)

Butane (CAS 106-97-8)

**US. Pennsylvania Worker and Community Right-to-Know Law**

2-Butoxyethanol (CAS 111-76-2)

Butane (CAS 106-97-8)



**US. Rhode Island RTK**

Butane (CAS 106-97-8)

**US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

**US - California Proposition 65 - CRT: Listed date/Carcinogenic substance**

Benzyl chloride (CAS 100-44-7)

Listed: January 1, 1990

**International Inventories**

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | No                     |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | No                     |
| New Zealand                 | New Zealand Inventory  | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

Issue date 01-10-2015

Version # 01

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

