#1256



SAFETY DATA SHEET



Issue Date 25-Feb-2015

Revision Date 05-Jan-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name

Porcelain Cleaner

Other means of identification

Product Code Synonyms N-030

None

Details of the supplier of the safety data sheet

Company Name

Nyco Products Company 5332 Dansher Road Countryside, IL 60525 (708) 579-8100 nycoproducts.com

Emergency telephone number

Emergency Telephone

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910,1200)

| Acute toxicity - Oral | Category 5 |
|-------------------------------------|----------------|
| Acute toxicity - Dermal | Not classified |
| Acute toxicity - Inhalation (Gases) | Category 4 |
| Skin corrosion/irritation | Category 1 |
| Serious eve damage/eye irritation | Category 1 |

Label elements

Emergency Overview

Danger

Hazard statements
May be harmful if swallowed
Harmful if inhaled
Causes severe skin burns and eye damage



Appearance Clear green

Physical state Liquid

Odor Sassafras

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth, DO NOT induce vomiting

immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

1E-06% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|-----------------------------|-------------|----------|--------------|
| Water | 7732-18-5 | 60-100 | * |
| Hydrochloric Acid | 7647-01-0 | 5-10 | * |
| 2-(2-methoxypropoxy)propano | 34590-94-8 | 1-5 | * |
| Nonylphenol Ethoxylate | 9016-45-9 | 1-5 | * |
| Xanthan Gum | 11138-66-2 | .1-1 | * |
| PROPRIETARY | Proprietary | <0.1 | * |
| Propargyl Alcohol | 107-19-7 | <0.1 | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

Inhalation Remove to fresh air, Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Ingestion Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong bases. Ammonia. Chlorinated compounds. Contact with metals may evolve flammable hydrogen gas. Metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---|-------------------------------------|--|---|
| Hydrochloric Acid 7647-01-0 | Celling: 2 ppm | (vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m³ Ceiling: 5 ppm Ceiling: 7 mg/m³ | IDLH: 50 ppm Celling: 5 ppm Celling: 7 mg/m³ |
| 2-(2-methoxypropoxy)propano 34590-94-8 | STEL: 150 ppm TWA: 100 ppm S* | TWA: 100 ppm TWA: 600 mg/m³ (vacated) TWA: 100 ppm (vacated) TWA: 600 mg/m³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m³ (vacated) STEL: 900 mg/m³ S* | IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m³ STEL: 150 ppm STEL: 900 mg/m³ |
| Propargyi Alcohol 107-19-7 | TWA: 1 ppm S* | (vacated) TWA: 1 ppm (vacated) TWA: 2 mg/m³ (vacated) S* | TWA: 1 ppm TWA: 2 mg/m³ |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eyelface protection

Tight sealing safety goggles. Face protection shield.

Skin and body protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene

When using do not eat, drink or smoke. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid Clear green **Appearance** Green Color Sassafras Odor

No Information available Odor threshold

Property Values

<1 На Specific Gravity 1.05

> 75 cP @ 25°C Viscosity

Melting point/freezing point No Information available

Flash point None 210 °F Boiling point / boiling range No Information available

Evaporation rate

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit: Lower flammability limit:

Vapor pressure Vapor density Water solubility

Autoignition temperature Decomposition temperature

Remarks • Method

No Information available

No Information available No Information available No Information available

Complete

No Information available Partition coefficient No Information available No Information available

Other Information

8.75 Density Lbs/Gal VOC Content (%) 1.25

10. STABILITY AND REACTIVITY

Reactivity_

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong bases. Ammonia. Chlorinated compounds. Contact with metals may evolve flammable hydrogen gas. Metals.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information The primary effects and toxicity of this material are due to it corrosive nature.

Inhalation Harmful by inhalation. Breathing of vapor can cause respiratory irritation and inflammation.

Breathing of mist or liquid can cause burns to the respiratory tract.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact Corrosive. Contact with skin may cause severe irritation and burns.

Ingestion Ingestion causes acute irritation and burns to the mucous membranes of the mouth,

trachea, esophagus and stomach.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|--|---|-----------------------|
| Water 7732-18-5 | > 90 mL/kg (Rat) | Yes | Yes |
| Hydrochloric Acid 7647-01-0 | = 700 mg/kg (Ral) | > 5010 mg/kg (Rabbit) | = 1.68 mg/L (Rat) 1 h |
| 2-(2-melhoxypropoxy)propano 34590-94-8 | = 5230 mg/kg (Rat) | = 9500 mg/kg (Rabbit) | Yes |
| Nonylphenol Ethoxylate 9016-45-9 | = 1310 mg/kg (Rat) = 2590 mg/kg (Rat) | = 1780 μL/kg(Rabbit)= 2 mL/kg(Rabbit) | Yes |
| Xanthan Gum 11138-66-2 | = 45 mg/kg (Rat) | Yes | Yes |
| PROPRIETARY | > 2000 mg/kg (Rat) | 50 mg/kg (Rabbit) | Yes |
| Propargyl Alcohol 107-19-7 | = 20 mg/kg (Rat) | = 16 mg/kg (Rabbit) | = 1040 ppm (Rat) 1 h |

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information available.

Germ cell mutagenicity No Information available.

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B). The table below indicates whether each agency has

listed any ingredient as a carcinogen.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|-------------------|-------|---------|-----|------|
| Hydrochloric Acid | Yes | Group 3 | Yes | Yes |
| 7647-01-0 | | | | |

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Target organ effects Central nervous system, EYES, Respiratory system, Skin.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 1E-06% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| 0.6279% of the mixture consists of components(s | :) of | of unknown hazards to the aquatic environmen | t |
|---|-------|--|---|
|---|-------|--|---|

| I | Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---|---|----------------------|---|---------------------------------------|
| | Hydrochloric Acid 7647-01-0 | Yes | 282: 96 h Gambusia affinis mg/L LC50 static | Yes |
| Ī | 2-(2-methoxypropoxy)propano 34590-94-8 | Yes | 10000: 96 h Pimephales promelas mg/L LC50 static | 1919: 48 h Daphnia magna mg/L LC50 |
| Ī | Nonylphenol Ethoxylate 9016-45-9 | Yes | 5: 96 h Fish mg/L LC50 | Yes |
| Ī | Propargyl Alcohol 107-19-7 | Yes | 1.49 - 1.56: 96 h Pimephales promelas mg/L LC50 flow-through | 32: 24 h Daphnia magna mg/L EC50 |

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

| Chemical Name | Partition coefficient |
|-----------------------------|-----------------------|
| 2-(2-methoxypropoxy)propano | -0.064 |
| 34590-94-8 | |

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and Disposal of wastes

regulations.

Do not reuse container. Contaminated packaging

RCRA RCRA - Basis for Listing RCRA - D Series Wastes RCRA - U Series Wastes Chemical Name Yes Propargyl Alcohol P102 Yes Yes 107-19-7

| Chemical Name | RCRA - Halogenated Organic Compounds | RCRA - P Series Wastes | RCRA - F Series Wastes | RCRA - K Series Wastes |
|-------------------------------|---|------------------------|------------------------|------------------------|
| Propargyl Alcohol 107-19-7 | Yes | P102 | Yes | Yes |

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

UN/ID No. UN1760

Proper shipping name Corrosive liquids, n.o.s.

Hazard Class 8 **Packing Group**

B2, IB2, T11, TP2, TP27

Special Provisions UN1760, Corrosive liquids, n.o.s. (contains Hydrochloric Acid), 8, II Description

Emergency Response Guide 154

Number

TDG

UN1760 UN/ID No.

Corrosive liquid, n.o.s. Proper shipping name

Hazard Class 8 11 **Packing Group**

UN1760, Corrosive liquid, n.o.s. (Hydrochloric Acid, Propargyl Alcohol), 8, I Description

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|--|-------------------------------|
| Hydrochloric Acid - 7647-01-0 | 1.0 |
| 2-(2-methoxypropoxy)propano - 34590-94-8 | 1.0 |

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Hydrochloric Acid 7647-01-0 | 5000 lb | Yes | Yes | X |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|--------------------------------|--------------------------|----------------|--|
| Hydrochloric Acid 7647-01-0 | 5000 lb | 5000 lb | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Propargyl Alcohol 107-19-7 | 1000 lb | Yes | RQ 1000 lb final RQ RQ 454 kg final RQ |

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Hydrochloric Acid 7647-01-0 | X | X | Х |
| 2-(2-methoxypropoxy)propano 34590-94-8 | Х | X | X |
| Propargyl Alcohol 107-19-7 | X | X | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

| 16. OTHER INFORMATION |
|-----------------------|
|-----------------------|

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical Properties Yes

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection C

Issue Date 25-Feb-2015
Revision Date 05-Jan-2015
Revision Note
No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet