

QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)

Other means of identification : Not applicable

Recommended use : Floor Cleaner

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.0 % - 1.56 %

Company : Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency telephone : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 06/24/2015

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Product AS SOLD

Skin corrosion : Category 1A Serious eye damage : Category 1

Specific target organ systemic toxicity - single

exposure

: Category 3 (Respiratory system)

Product AT USE DILUTION

Not a hazardous substance or mixture.

GHS Label element

Product AS SOLD

Hazard pictograms





Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Causes serious eye damage. May cause respiratory irritation.

Precautionary Statements : Prevention:

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face

protection. Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

912388-03 1 / 11

QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)

with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store

locked up. **Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Precautionary Statements : **Prevention:**

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

Product AS SOLD

Other hazards : None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical NameCAS-No.Concentration (%)monoethanolamine141-43-55 - 10Alkylethoxy-propoxylates68987-81-51 - 5Sodium Xylenesulfonate1300-72-71 - 5sodium hydroxide1310-73-20.1 - 1

Product AT USE DILUTION

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

912388-03 2 / 11

QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed

: See Section 11 for more detailed information on health effects and

symptoms.

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

SECTION 5. FIRE-FIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain

912388-03 3 / 11

QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)

material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: No special environmental precautions required.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Product AS SOLD

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate

ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : 10 °C to 45 °C

Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		STEL	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z1
sodium hydroxide	1310-73-2	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

912388-03 4 / 11

QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD Product AT USE DILUTION

Appearance : liquid liquid

Color : dark green light green

Odor : Perfumes, fragrances Perfumes, fragrances

pH : 12.9, 100 % 10.53

Flash point : Not applicable, Does not sustain combustion.

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available
Flammability (solid, gas) : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available

Vapor pressure : No data available Relative vapor density : No data available

912388-03 5 / 11

QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)

Relative density : 1.031 Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-: No data available

octanol/water

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

SECTION 10. STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and

lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

: Health injuries are not known or expected under normal use. Eyes

912388-03 6/11

QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Toxicity

Product AS SOLD

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 10 mg/l

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation : No data available Serious eye damage/eye : No data available

irritation

iiiialioii

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available
STOT-repeated exposure : No data available
Aspiration toxicity : No data available

SECTION 12. ECOLOGICAL INFORMATION

Product AS SOLD Ecotoxicity

Environmental Effects : Harmful to aquatic life.

912388-03 7 / 11

QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)

Product

Toxicity to fish : No data available Toxicity to daphnia and other : No data available

aquatic invertebrates

: No data available

Ingredients

Toxicity to algae

Toxicity to fish : Alkylethoxy-propoxylates

96 h LC50 Fish: 5 mg/l

Ingredients

Toxicity to daphnia and other : monoethanolamine

aquatic invertebrates

48 h EC50 Daphnia: 65 mg/l

sodium hydroxide 48 h EC50: 40 mg/l

Ingredients

Toxicity to algae : Sodium Xylenesulfonate

96 h EC50: 230 mg/l

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Product AS SOLD

Disposal methods : The product should not be allowed to enter drains, water courses or

the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

> an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous : D002 (Corrosive)

waste

Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

912388-03 8/11

QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 2491

Description of the goods : Ethanolamine solutions

Class : 8
Packing group : III
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 2491

Description of the goods : ETHANOLAMINE SOLUTION

Class : 8
Packing group : III
Marine pollutant : no

Product AT USE DILUTION

Not intended for transport.

SECTION 15. REGULATORY INFORMATION

Product AS SOLD

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
sodium hydroxide	1310-73-2	1000	149388

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations :

912388-03 9 / 11

QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)

not determined

United States TSCA Inventory:

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

This product contains one or several components that are not on the Canadian DSL nor NDSL.

Australia Inventory of Chemical Substances (AICS):

not determined

New Zealand. Inventory of Chemical Substances:

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS):


not determined

China. Inventory of Existing Chemical Substances in China (IECSC):

not determined

SECTION 16. OTHER INFORMATION

Product AS SOLD NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,


2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Product AT USE DILUTION

912388-03 10 / 11

QC 35 MAXX DUAL ACTION FLOOR CLEANER (BRIGHT SPEED)



Issuing date : 06/24/2015

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

912388-03 11 / 11