

# NYNL127P5 SAFETY DATA SHEET

Issue Date 20-Nov-2015 Revision Date 20-Nov-2015 Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Mop On Floor Strip

Other means of identification

Product Code NL127 Synonyms None

Details of the supplier of the safety data sheet

Company Name Nyco Products Company

5332 Dansher Road Countryside, IL 60525 (708) 579-8100 nycoproducts.com

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

## Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

#### Label elements

## **Emergency Overview**

# **Danger**

#### **Hazard statements**

May be harmful if swallowed
Causes severe skin burns and eye damage

May cause respiratory irritation. May cause drowsiness or dizziness



#### Appearance Clear Physical state Liquid Odor Solvent

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area

#### **Precautionary Statements - Response**

Immediately call a POISON CENTER or doctor/physician

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Drink plenty of water

Immediately call a POISON CENTER or doctor/physician

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

#### Other Information

Unknown Acute Toxicity 0.03798001% of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
2-butoxyethanol	111-76-2	7-13	*
Monoethanolamine	141-43-5	5-10	*
Potassium Hydroxide	1310-58-3	1-5	*
Trisodium nitrilotriacetate	5064-31-3	<0.1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### First aid measures

**General advice** Immediate medical attention is required.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Eye contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected

area.

**Inhalation** Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

**Ingestion** Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

#### **Explosion data**

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions** 

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take

up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name ACGIH TLV		OSHA PEL	NIOSH IDLH
2-butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm	TWA: 5 ppm
			TWA: 24 mg/m <sup>3</sup>
		(vacated) TWA: 120 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	
Monoethanolamine	STEL: 6 ppm	TWA: 3 ppm	IDLH: 30 ppm
141-43-5	TWA: 3 ppm	TWA: 6 mg/m <sup>3</sup>	TWA: 3 ppm
		(vacated) TWA: 3 ppm	TWA: 8 mg/m <sup>3</sup>
		(vacated) TWA: 8 mg/m <sup>3</sup>	STEL: 6 ppm
		(vacated) STEL: 6 ppm	STEL: 15 mg/m <sup>3</sup>
		(vacated) STEL: 15 mg/m <sup>3</sup>	
Potassium Hydroxide	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
1310-58-3			
Diethanolamine TWA: 1 mg/m³ inhalable fraction		(vacated) TWA: 3 ppm	TWA: 3 ppm
111-42-2	and vapor	(vacated) TWA: 15 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>
S*		_	_
Sodium Hydroxide Ceiling: 2 mg/m <sup>3</sup>		TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection Ensure adequate ventilation, especially in confined areas. No protective equipment is

needed under normal use conditions. If exposure limits are exceeded or irritation is

experienced, ventilation and evacuation may be required.

General Hygiene When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear
Color Yellow
Odor Solvent

Odor threshold No Information available

Property Values Remarks • Method

pH 13.0 + Specific Gravity 1.03

Viscosity <25 cP @ 25°C

Melting point/freezing point No Information available

Flash point >140 °F

Boiling point / boiling range

Evaporation rate <1

Flammability (solid, gas)

No data available

Flammability Limits in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Water solubility

No Information available
No Information available
No Information available
Complete

Partition coefficientNo Information availableAutoignition temperatureNo Information availableDecomposition temperatureNo Information available

Other Information

Density Lbs/Gal 8.59 VOC Content (%) 20.3

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

## **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

#### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information Harmful by inhalation, ingestion, in contact with eyes and skin.

**Inhalation** Avoid breathing vapors or mists. Breathing of vapor can cause respiratory irritation and

inflammation. Breathing of mist or liquid can cause burns to the respiratory tract. May cause

(butyl acetate = 1)

drowsiness or dizziness.

**Eye contact** Avoid contact with eyes. Causes severe eye damage.

**Skin Contact** Avoid contact with skin. May cause severe irritation or burns to the skin. Prolonged or

repeated contact may cause absorption to the skin.

Ingestion Do not taste or swallow. Harmful if swallowed. Ingestion causes acute irritation and burns to

the mucous membranes of the mouth, trachea, esophagus and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-butoxyethanol 111-76-2	= 470 mg/kg ( Rat )	= 99 mg/kg(Rabbit)	= 450 ppm (Rat) 4 h
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1000 mg/kg ( Rabbit ) = 1 mL/kg ( Rabbit )	-
Potassium Hydroxide 1310-58-3	= 284 mg/kg ( Rat )	-	-
Trisodium nitrilotriacetate 5064-31-3	= 1100 mg/kg (Rat)	-	> 5 mg/L (Rat) 4 h

#### Information on toxicological effects

Symptoms No Information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization**No Information available. **Germ cell mutagenicity**No Information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-butoxyethanol	A3	Group 3	-	-
Trisodium nitrilotriacetate 5064-31-3	-	Group 2B	-	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 3 -Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. May cause adverse effects on the bone marrow and

blood-forming system. May cause adverse liver effects.

**Target organ effects**Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory

system, Skin.

**Aspiration hazard** No Information available.

## Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0.03798001% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2,836.00 ATEmix (dermal) 5,430.00 ATEmix (inhalation-dust/mist) 7.40 ATEmix (inhalation-vapor) 3,814.00

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

1.90298% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
2-butoxyethanol	-	1490: 96 h Lepomis macrochirus	1000: 48 h Daphnia magna mg/L
111-76-2	111-76-2		EC50 1698 - 1940: 24 h Daphnia
		Lepomis macrochirus mg/L LC50	magna mg/L EC50
Monoethanolamine	15: 72 h Desmodesmus subspicatus	300 - 1000: 96 h Lepomis	65: 48 h Daphnia magna mg/L
141-43-5	mg/L EC50	macrochirus mg/L LC50 static 200:	EC50
		96 h Oncorhynchus mykiss mg/L	
		LC50 flow-through 114 - 196: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		static 227: 96 h Pimephales	

		promelas mg/L LC50 flow-through	
		3684: 96 h Brachydanio rerio mg/L	
		LC50 static	
Potassium Hydroxide	-	80: 96 h Gambusia affinis mg/L	-
1310-58-3		LC50 static	
Tetrasodium EDTA	1.01: 72 h Desmodesmus	59.8: 96 h Pimephales promelas	610: 24 h Daphnia magna mg/L
64-02-8	subspicatus mg/L EC50	mg/L LC50 static 41: 96 h Lepomis	EC50
		macrochirus mg/L LC50 static	
Sodium Sulfate	-	13500: 96 h Lepomis macrochirus	630: 96 h Daphnia magna mg/L
7757-82-6		mg/L LC50 13500 - 14500: 96 h	EC50 2564: 48 h Daphnia magna
		Pimephales promelas mg/L LC50	mg/L EC50
		3040 - 4380: 96 h Lepomis	
		macrochirus mg/L LC50 static 6800:	
		96 h Pimephales promelas mg/L	
		LC50 static	
Diethanolamine	7.8: 72 h Desmodesmus	4460 - 4980: 96 h Pimephales	55: 48 h Daphnia magna mg/L
111-42-2	subspicatus mg/L EC50 2.1 - 2.3:	promelas mg/L LC50 flow-through	EC50
	96 h Pseudokirchneriella	600 - 1000: 96 h Lepomis	
	subcapitata mg/L EC50	macrochirus mg/L LC50 static 1200	
		- 1580: 96 h Pimephales promelas	
		mg/L LC50 static	
Trisodium nitrilotriacetate	560 - 1000: 96 h Chlorella vulgaris	72 - 133: 96 h Oncorhynchus	560 - 1000: 48 h Daphnia magna
5064-31-3	mg/L EC50	mykiss mg/L LC50 static 175 - 225:	mg/L LC50
		96 h Lepomis macrochirus mg/L	
		LC50 static 252: 96 h Lepomis	
		macrochirus mg/L LC50 470: 96 h	
		Pimephales promelas mg/L LC50	
		static 93 - 170: 96 h Pimephales	
		promelas mg/L LC50 flow-through	
		560 - 1000: 96 h Poecilia reticulata	
		mg/L LC50 semi-static 560 - 1000:	
		96 h Poecilia reticulata mg/L LC50	
		114: 96 h Pimephales promelas mg/L LC50 560 - 1000: 96 h Oryzias	
		latipes mg/L LC50 560 - 1000. 96 ii Oryzias	
		Oryzias latipes mg/L LC50	
		semi-static	
Sodium Hydroxide	_	45.4: 96 h Oncorhynchus mykiss	
1310-73-2	_	mg/L LC50 static	<del>-</del>
1010-70-2	l	mg/L LOGO Statio	

## Persistence and degradability

No Information available.

## **Bioaccumulation**

Bioaccumulative potential.

Chemical Name	Partition coefficient
2-butoxyethanol	0.81
111-76-2	
Monoethanolamine	-1.91
141-43-5	
Potassium Hydroxide	0.65
1310-58-3	0.83

Other adverse effects No Information available

## 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
Potassium Hydroxide	Toxic	
1310-58-3	Corrosive	

## 14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT

**UN/ID No.** UN1760

**Proper shipping name** Corrosive liquids, n.o.s.

Hazard Class
Packing Group

Special Provisions B2, IB2, T11, TP2, TP27

**Description** UN1760, Corrosive liquids, n.o.s (contains Potassium Hydroxide and Ethanolamine), 8, II

**Emergency Response Guide** 154

Number

**TDG** 

**UN/ID No.** UN1760

**Proper shipping name** Corrosive liquids, n.o.s.

Hazard Class 8
Packing Group ||

**Description** UN1760, Corrosive liquids, n.o.s. (contains Potassium Hydroxide and Ethanolamine), 8. II

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## US Federal Regulations

## **SARA** 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %			
2-butoxyethanol - 111-76-2	1.0			
SARA 311/312 Hazard Categories				

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

## **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide	1000 lb	-	-	X
1310-58-3				

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
--	---------------	--------------------------	----------------	--------------------------

Potassium Hydroxide	1000 lb	=	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

## **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Diethanolamine - 111-42-2	Carcinogen	
Trisodium nitrilotriacetate - 5064-31-3	Carcinogen	

WARNING: This product contains a chemical known to the state of California to cause cancer. WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproduction harm.

## Chemical Name(s):

Acetic acid, 2,2,-dichloro-

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-butoxyethanol 111-76-2	X	X	X
Monoethanolamine 141-43-5	X	X	X
Potassium Hydroxide 1310-58-3	X	X	X
Sodium Sulfate 7757-82-6	-	X	X
Diethanolamine 111-42-2	X	X	X
Sodium Hydroxide 1310-73-2	X	X	X
Trisodium nitrilotriacetate 5064-31-3	-	X	-

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not Applicable

16. OTHER INFORMATION						
NFPA	Health hazards 3	Flammability 2	Instability 0	Physical and Chemical		

Properties Yes

HMIS Health hazards 3 Flammability 2 Physical hazards 0 Personal protection C

 Issue Date
 20-Nov-2015

 Revision Date
 20-Nov-2015

**Revision Note** 

No Information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**