SAFETY DATA SHEET #1502 GOJO® HAND MEDIC® Professional Skin Conditioner



Version 1.1	Revision Date: 02/10/2015		SDS Number: 655-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015	
SECTIO	N 1. IDENTIFICATION				
Proc	Product name		GOJO® HAND MEDIC® Professional Skin Conditioner		
Mar	ufacturer or supplier's	deta	ils		
	npany name of supplier	:		Inc.	
Add	Address		One GOJO Plaza Akron OH 44311	, Suite 500	
Tele	phone	:	1 (330) 255-6000	330) 255-6000	
Eme	ergency telephone	:	1-800-424-9300	CHEMTREC	
Rec	ommended use of the c	hen	nical and restriction	ons on use	
Rec	ommended use	:	Skin-care		
Restrictions on use :		:	This is a personal care or cosmetic product that is safe to consumers and other users under normal and reasonable foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consum While this material is not considered hazardous, this SD contains valuable information critical to the safe handling proper use of the product for industrial workplace condit as well as unusual and unintended exposures such as la spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS ClassificationNot a hazardous substance or mixture.GHS Label elementNot a hazardous substance or mixture.

Not a hazardous substance or mixture. Other hazards None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name

CAS-No.



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46655-00002	Date of last issue Date of first issue	
Petro	blatum		8009-03-8	>= 1 - < 5
Glyce	erine		56-81-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: No special precautions are necessary for first aid responders.
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46655-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
		Use persona	l protective equipment.
SECTION	6. ACCIDENTAL RELE	ASE MEASURES	3
prote	onal precautions, ctive equipment and gency procedures		nandling advice and personal protective ecommendations.
Envir	onmental precautions	Prevent furth Prevent spre barriers). Retain and d	to the environment must be avoided. er leakage or spillage if safe to do so. ading over a wide area (e.g. by containment or oil ispose of contaminated wash water. ties should be advised if significant spillages intained.
	Methods and materials for containment and cleaning up		inert absorbent material. Ils, provide diking or other appropriate to keep material from spreading. If diked material bed, store recovered material in appropriate maining materials from spill with suitable onal regulations may apply to releases and his material, as well as those materials and items the cleanup of releases. You will need to hich regulations are applicable. and 15 of this SDS provide information regarding or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents



Version	Revision Date:	MSDS Number:	Date of last issue: 01/12/2015
1.1	02/10/2015	46655-00002	Date of first issue: 01/12/2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Glycerine	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

Engineering measures

: Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 inhalable particles.

Personal protective equipment

m c u F u b h s c c c c c c c c c c c c c c c c c c		General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
Hand protection		
Remarks	:	Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety glasses



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46655-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
Skin a	and body protection	: Skin should be	washed after contact.
Hygiene measures		located close to When using do	e flushing systems and safety showers are o the working place. not eat, drink or smoke. nated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: white, opaque
Odor	: none
Odor Threshold	: No data available
рН	: 3.5 - 5.0
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 93.00 °C
Flash point	: >100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 1.0 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: The substance or mixture is not classified self-reactive.



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46655-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
Viscos Visc	sity cosity, kinematic	: 3,000 - 30,000	mm2/s (20 °C)
Explosive properties		: Not explosive	
Oxidizing properties		: The substance	or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Skin contact Ingestion Eye contact	of exposure
Acute toxicity	
Not classified based on availal	ble information.
Product:	
Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Ingredients:	
Petrolatum:	
Acute oral toxicity	 LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials
Glycerine: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg



Version Revision Date: 1.1 02/10/2015

MSDS Number: 46655-00002

Date of last issue: 01/12/2015 Date of first issue: 01/12/2015

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Petrolatum: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation Remarks: Based on data from similar materials

Glycerine:

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Ingredients:

Petrolatum: Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Glycerine:

Result: No eye irritation

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Petrolatum: Test Type: Buehler Test Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Petrolatum:



ersion 1	Revision Date: 02/10/2015	MSDS Number: 46655-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015	
Geno	toxicity in vitro	Result: negativ	: Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials	
Geno	toxicity in vivo	cytogenetic ass Species: Mous Application Rou Method: OECD Result: negativ	 Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials 	
Glyce Geno	erine: toxicity in vitro		itro mammalian cell gene mutation test Test Guideline 476 e	
	nogenicity lassified based on avai	lable information.		
Petro Speci Applic Expos	dients: latum: es: Rat cation Route: Ingestion sure time: 2 Years lt: negative			
Applic Expos	erine: es: Rat cation Route: Ingestion sure time: 2 Years lt: negative			
IARC	;	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.		
OSH	A	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.		
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
-	oductive toxicity assified based on avai	lable information.		
Ingre	dients:			
Petro	latum: is on fertility	: Test Type: Rep test Species: Rat	roduction/Developmental toxicity screening	



Version 1.1	Revision Date: 02/10/2015		S Number: 5-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
Effects	on fetal development	F F : T S A F	est Type: Embry pecies: Rat pplication Route cesult: negative	on data from similar materials o-fetal development
Glycer	ine:			
Effects	on fertility	S	est Type: Two-g pecies: Rat pplication Route esult: negative	eneration reproduction toxicity study : Ingestion
Effects	on fetal development	S	est Type: Embry pecies: Rabbit pplication Route esult: negative	o-fetal development : Ingestion
STOT-	single exposure			

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Petrolatum: Species: Rat NOAEL: 5,000 mg/kg Application Route: Ingestion Exposure time: 2 y

Glycerine:

Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 13 w Symptoms: Local irritation

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:



Version Revision Date: 1.1 02/10/2015	MSDS Number:Date of last issue: 01/12/201546655-00002Date of first issue: 01/12/2015
Petrolatum: Toxicity to fish	 LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae	 NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	 NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Glycerine: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h
Persistence and degradabi	ity
Ingredients: Petrolatum: Biodegradability	 Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Based on data from similar materials
Glycerine: Biodegradability	: Result: Readily biodegradable. Biodegradation: 94 % Exposure time: 1 d
Bioaccumulative potential	
Ingredients: Glycerine:	



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46655-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015		
	tion coefficient: n- nol/water	: log Pow: -1.76			
	i lity in soil ata available				
Othe	r adverse effects				
No da	ata available				
SECTION	SECTION 13. DISPOSAL CONSIDERATIONS				
Disp	osal methods				
	e from residues	: Dispose of in ac	cordance with local regulations.		
Conta	aminated packaging	: Dispose of as unused product.			

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards



Versi 1.1	on	Revision Date: 02/10/2015	MSDS Number: 46655-00002	Date of last issue: 01/12/20 Date of first issue: 01/12/20		
ę	SARA	302		his material are subject to th SARA Title III, Section 302.	e reporting	
\$	SARA 313		: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.			
l	US Stat	te Regulations				
I	Pennsy	/Ivania Right To Kno	w			
		Water		7732-18-5	70 - 90 %	
	Petrolatum			8009-03-8	1 - 5 %	
	Glycerol triste		earate	11099-07-3	1 - 5 %	
	Glycerine			56-81-5	1 - 5 %	
	2-Phenoxyethanol			122-99-6	0.1 - 1 %	
I	New Je	ersey Right To Know				
		Water		7732-18-5	70 - 90 %	
	Petrolatum			8009-03-8	1 - 5 %	
		Glycerol trist	earate	11099-07-3	1 - 5 %	
		Aluminum st	arch octenylsuccinate	9087-61-0	1 - 5 %	
		Cetyl alcohol		36653-82-4	1 - 5 %	
		Glycerine		56-81-5	1 - 5 %	
(Califor	nia Pron 65	This product doe	s not contain any chemicals	known to the	

California Prop 65

Further information

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

SECTION 16. OTHER INFORMATION

NFPA: HMIS III: Flammability HEALTH 0 Instability Health 0 FLAMMABILITY 1 0 PHYSICAL HAZARD 0 0 = not significant, 1 = Slight,Special hazard. 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46655-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015				
NIOSH REL		: USA. NIOSH Recommended Exposure Limits					
OSHA Z-1		: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants					
ACG	IH / TWA	: 8-hour, time-	: 8-hour, time-weighted average				
NIOSH REL / TWA		: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek					
NIOSH REL / ST		: STEL - 15-m	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday				
OSH	A Z-1 / TWA	: 8-hour time weighted average					
comp	Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, C eChem Portal search results and European Chemicals cy, http://echa.europa.eu/		I search results and European Chemicals Agen-				
Revis	sion Date	: 02/10/2015					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8