



SAFETY DATA SHEET

N41UL529

Issue Date 16-Apr-2015

Revision Date 16-Apr-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Ink Spot Carpet & Hard Surface Spotter

Other means of identification

Product Code NL529

Synonyms None

Details of the supplier of the safety data sheet

Company Name Nycoco Products Company
5332 Dansher Road
Countryside, IL 60525
(708) 579-8100
nycoproducts.com

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Category 5
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2
Flammable liquids	Category 4


Label elements

Emergency Overview

Warning

Hazard statements

May be harmful if swallowed
May be harmful in contact with skin
Harmful if inhaled
Causes serious eye irritation
Harmful to aquatic life with long lasting effects
Combustible liquid



Appearance Clear

Physical state Liquid

Odor Solvent

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area
 Avoid release to the environment
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking
 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician if you feel unwell
 Immediately call a POISON CENTER or doctor/physician
 In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	15-40	*
Benzyl Alcohol	100-51-6	15-40	*
2-Propanol	67-63-0	10-30	*
2-(2-ethoxyethoxy)ethanol	111-90-0	5-10	*
Propylene Glycol	57-55-6	1-5	*
Sodium 2-Ethylhexyl Sulfate	126-92-1	1-5	*
Diethylhexyl Sodium Sulfosuccinate	577-11-7	1-5	*
Sodium Dodecylbenzene Sulfonate	25155-30-0	.1-1	*
Orange Terpenes	5989-27-5	.1-1	*
2-Ethyl Hexanol	104-76-7	.1-1	*
Benzaldehyde	100-52-7	<0.1	*
Sodium Sulfate	7757-82-6	<0.1	*
Ethanol	64-17-5	<0.1	*
Sodium Chloride	7647-14-5	<0.1	*
Dibenzyl ether	103-50-4	<0.1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice	If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.
Skin Contact	Consult a physician if necessary. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is not required. If skin irritation persists, call a physician.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Inhalation	Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.
Ingestion	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use. Dry chemical. Carbon dioxide (CO₂). Water spray (fog). Alcohol resistant foam.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other non-combustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Propanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

NIOSH IDLH *Immediately Dangerous to Life or Health*

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear protective gloves and protective clothing. Rubber gloves if prolonged contact and/or handling large volumes.

Respiratory protection Ensure adequate ventilation, especially in confined areas. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid
Appearance Clear
Color Colorless
Odor Solvent
Odor threshold No Information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	9.5 - 10.5	
Specific Gravity	1.0	
Viscosity	Water Thin	
Melting point/freezing point	No Information available	
Flash point	84 °C 184 °F	
Boiling point / boiling range	212 ° F	/
Evaporation rate	No Information available	
Flammability (solid, gas)		
Flammability Limits in Air		
Upper flammability limit:	Not Applicable	
Lower flammability limit:	Not Applicable	
Vapor pressure	No Information available	
Vapor density	No Information available	
Water solubility	Complete	
Partition coefficient	No Information available	
Autoignition temperature	No Information available	
Decomposition temperature	No Information available	

Other Information

Density Lbs/Gal 8.34
VOC Content (%) 14.40

10. STABILITY AND REACTIVITY

Reactivity
 No data available

Chemical stability
 Stable under recommended storage conditions.

Possibility of Hazardous Reactions
 None under normal processing.

Conditions to avoid
 Heat, flames and sparks.

Incompatible materials
 None known based on information supplied.

Hazardous Decomposition Products
 None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Maybe harmful by inhalation, ingestion, in contact with eyes and skin,
Inhalation	Harmful by inhalation. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	Avoid contact with eyes. Direct contact may cause serious eye irritation.
Skin Contact	May be harmful in contact with skin. Prolonged contact may cause redness and irritation. Prolonged contact with skin may result in the absorption of potentially harmful amounts leading to possible liver and kidney damage.
Ingestion	May be harmful if swallowed. Ingestion may cause irritation to mucous membranes. Ingestion may result in the absorption of potentially harmful amounts leading to possible liver and kidney damage.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl Alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
2-Propanol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
2-(2-ethoxyethoxy)ethanol 111-90-0	= 1920 mg/kg (Rat)	= 4200 µL/kg (Rabbit) = 6 mL/kg (Rat)	> 5240 mg/m ³ (Rat) 4 h
Propylene Glycol 57-55-6	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	-
Sodium 2-Ethylhexyl Sulfate 126-92-1	= 4 g/kg (Rat)	= 6540 µL/kg (Rabbit)	-
Diethylhexyl Sodium Sulfosuccinate 577-11-7	= 1900 mg/kg (Rat)	= 10000 mg/kg (Rabbit)	-
Sodium Dodecylbenzene Sulfonate 25155-30-0	= 438 mg/kg (Rat) = 500 mg/kg (Rat)	-	-
Orange Terpenes 5989-27-5	= 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
2-Ethyl Hexanol 104-76-7	1516 - 2774 mg/kg (Rat)	= 1980 mg/kg (Rabbit)	-
Benzaldehyde 100-52-7	= 1292 mg/kg (Rat)	> 1250 mg/kg (Rabbit)	-
Ethanol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Sodium Chloride 7647-14-5	= 3 g/kg (Rat)	> 10 g/kg (Rabbit)	> 42 g/m ³ (Rat) 1 h
Dibenzyl ether 103-50-4	= 2500 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information available.
Germ cell mutagenicity No Information available.
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Propanol 67-63-0	-	Group 3	-	X
Orange Terpenes 5989-27-5	-	Group 3	-	X
Ethanol 64-17-5	A3	Group 1	Known	X

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No Information available.
STOT - single exposure No Information available.
STOT - repeated exposure No Information available.
Target organ effects EYES, Respiratory system, Skin.
Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity
The following values are calculated based on chapter 3.1 of the GHS document .

12. ECOLOGICAL INFORMATIONEcotoxicity

2.3464% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Benzyl Alcohol 100-51-6	35: 3 h <i>Anabaena variabilis</i> mg/L EC50	460: 96 h <i>Pimephales promelas</i> mg/L LC50 static 10: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	23: 48 h water flea mg/L EC50
2-Propanol 67-63-0	1000: 96 h <i>Desmodesmus subspicatus</i> mg/L EC50 1000: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	9640: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 11130: 96 h <i>Pimephales promelas</i> mg/L LC50 static 140000: 96 h <i>Lepomis macrochirus</i> µg/L LC50	13299: 48 h <i>Daphnia magna</i> mg/L EC50
2-(2-ethoxyethoxy)ethanol 111-90-0	-	10000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 19100 - 23900: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 11400 - 15700: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 11600 - 16700: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 13400: 96 h <i>Salmo gairdneri</i> mg/L LC50 flow-through	3940 - 4670: 48 h <i>Daphnia magna</i> mg/L EC50
Propylene Glycol 57-55-6	19000: 96 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50	51600: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 41 - 47: 96 h <i>Oncorhynchus mykiss</i> mL/L LC50 static 51400: 96 h <i>Pimephales promelas</i> mg/L LC50 static 710: 96 h <i>Pimephales promelas</i> mg/L LC50	1000: 48 h <i>Daphnia magna</i> mg/L EC50 Static 10000: 24 h <i>Daphnia magna</i> mg/L EC50
Diethylhexyl Sodium Sulfosuccinate 577-11-7	-	20 - 40: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static 24: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 37: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	36: 48 h <i>Daphnia magna</i> mg/L EC50
Sodium Dodecylbenzene Sulfonate 25155-30-0	-	10.8: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	-
Orange Terpenes 5989-27-5	-	0.619 - 0.796: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 35: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50	-
2-Ethyl Hexanol 104-76-7	11.5: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50	32 - 37: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 7.5: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 27 - 29.5: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 29.7: 96 h <i>Pimephales promelas</i> mg/L LC50 static 10.0 - 33.0: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	39: 48 h <i>Daphnia magna</i> mg/L EC50
Benzaldehyde 100-52-7	-	10.6 - 11.8: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 12.69: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 0.8 - 1.44: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 6.8 - 8.53: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 7.5: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static	50: 24 h <i>Daphnia magna</i> mg/L EC50
Ethanol 64-17-5	-	12.0 - 16.0: 96 h <i>Oncorhynchus mykiss</i> mL/L LC50 static 100: 96 h <i>Pimephales promelas</i> mg/L LC50 static 13400 - 15100: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through	9268 - 14221: 48 h <i>Daphnia magna</i> mg/L LC50 2: 48 h <i>Daphnia magna</i> mg/L EC50 Static 10800: 24 h <i>Daphnia magna</i> mg/L EC50

Sodium Chloride 7647-14-5	-	5560 - 6080: 96 h Lepomis macrochirus mg/L LC50 flow-through 12946: 96 h Lepomis macrochirus mg/L LC50 static 6020 - 7070: 96 h Pimephales promelas mg/L LC50 static 7050: 96 h Pimephales promelas mg/L LC50 semi-static 6420 - 6700: 96 h Pimephales promelas mg/L LC50 static 4747 - 7824: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	1000: 48 h Daphnia magna mg/L EC50 340.7 - 469.2: 48 h Daphnia magna mg/L EC50 Static
------------------------------	---	---	---

Persistence and degradability

No Information available.

Bioaccumulation

Bioaccumulative potential.

Chemical Name	Partition coefficient
Benzyl Alcohol 100-51-6	1.1
2-Propanol 67-63-0	0.05
2-(2-ethoxyethoxy)ethanol 111-90-0	-0.8
2-Ethyl Hexanol 104-76-7	3.1
Benzaldehyde 100-52-7	1.48
Ethanol 64-17-5	-0.32

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
2-Propanol 67-63-0	Toxic Ignitable
Orange Terpenes 5989-27-5	Toxic
Ethanol 64-17-5	Toxic Ignitable

14. TRANSPORT INFORMATION

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

DOT Not regulated

TDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
 DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-Propanol - 67-63-0	1.0
2-(2-ethoxyethoxy)ethanol - 111-90-0	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
 Chronic Health Hazard No
 Fire hazard Yes
 Sudden release of pressure hazard No
 Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Dodecylbenzene Sulfonate 25155-30-0	1000 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Dodecylbenzene Sulfonate 25155-30-0	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Ethanol - 64-17-5	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Propanol 67-63-0	X	X	X
2-(2-ethoxyethoxy)ethanol 111-90-0	X	-	X
Propylene Glycol 57-55-6	X	-	X
Benzaldehyde 100-52-7	X	X	X
Sodium Sulfate 7757-82-6	-	X	X
Ethanol 64-17-5	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards 1	Flammability 2	Instability 0	Physical and Chemical Properties Yes
<u>HMIS</u>	Health hazards 1	Flammability 2	Physical hazards 0	Personal protection B

Issue Date 16-Apr-2015
 Revision Date 16-Apr-2015

Revision Note
 No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet