

Version 1.1	Revision Date: 12-08-2015		SDS Number: 00000003296	Date of last issue: 10-29-2015 Date of first issue: 10-29-2015		
SECTION	1. IDENTIFICATION					
Produ	uct name	:	SCOTT® Continuous Air Freshener Refill - Citrus			
Product code		:	91067			
Manufacturer or supplier's Company name of supplier				orporation		
Address		:	1400 Holcomb Bridge Road, Roswell, GA 30076-2199			
Telep	hone	:	1-888-346-6452			
Emer	gency telephone	hone : 1-877-561-6587				

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids Skin irritation Skin sensitization	:	Category 4 Category 2 Category 1
GHS Label element Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	H227 Combustible liquid. H315 Causes skin irritation. H317 May cause an allergic skin reaction.
Precautionary Statements	:	Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P332 + P313 If skin irritation occurs: Get medical advice/ atten- tion.
Other bazards		

Other hazards

None known.

Version	Revision Date:	MSDS Number:	Date of last issue: 10-29-2015
1.1	12-08-2015	10000003296	Date of first issue: 10-29-2015

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
3,7-dimethyloctan-3-ol	78-69-3	>= 20 - < 50
decanal	112-31-2	>= 10 - < 20
Butanoic acid, 3-methyl-, ethyl ester	108-64-5	>= 1 - < 10
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	>= 1 - < 10
Octanal	124-13-0	>= 1 - < 10
Citral	5392-40-5	>= 1 - < 5
citronellol	106-22-9	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	No haza	rds which require special first aid measures.
If inhaled		fresh air in case of accidental inhalation of vapors. oms persist, call a physician.
In case of skin contact	Wash co	f with soap and plenty of water. ntaminated clothing before re-use. oms persist, call a physician.
In case of eye contact		of eye contact, remove contact lens and rinse imme- ith plenty of water, also under the eyelids, for at least es.
If swallowed	Do NOT	induce vomiting.
Most important symptoms and effects, both acute and delayed	No inforr	nation available.
Notes to physician	No inforr	nation available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	Do NOT use water jet.
Specific hazards during fire	:	Highly flammable liquid and vapor.

Versi 1.1	on Revision Date: 12-08-2015	MSDS Number: 100000003296	Date of last issue: 10-29-2015 Date of first issue: 10-29-2015	
1	fighting			
Hazardous combustion prod- ucts		: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).		
	Further information	: Standard proced	ure for chemical fires.	
	Special protective equipment for fire-fighters	: In the event of fin	e, wear self-contained breathing apparatus.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Ensure adequate ventilation. Remove all sources of ignition.
Environmental precautions	:	Prevent product from entering drains.
Methods and materials for containment and cleaning up	:	Wipe up with absorbent material (e.g. cloth, fleece).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.	
Advice on safe handling	: For personal protection see section 8. No special handling advice required.	
Conditions for safe storage	: Keep container tightly closed in a dry and well-ventila place.	ated
Materials to avoid	: No special restrictions on storage with other products	5.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Ingredients	CAS-No.
3,7-dimethyloctan-3-ol	78-69-3
decanal	112-31-2
Butanoic acid, 3-methyl-, ethyl	108-64-5
ester	
2,4-dimethylcyclohex-3-ene-1-	68039-49-6
carbaldehyde	
Octanal	124-13-0
Citral	5392-40-5

Version 1.1	Revision Date: 12-08-2015		SDS Number: 0000003296	Date of last issue: 10-29-2015 Date of first issue: 10-29-2015
citronellol			106-22-9	
Perso	onal protective equip	ment		
Resp	iratory protection	:	No personal res required.	piratory protective equipment normally
Hand	protection			
Re	marks	:	For prolonged o	r repeated contact use protective gloves.
Eye p	protection	:	Not required une	der normal use.
Skin a	and body protection	:	not required unc	ler normal use
Prote	ctive measures	:	No special prote	ctive equipment required.
Hygie	ene measures	:	General industri	al hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: colorless
Odor	: pleasant
Flash point	: 63 °C
Relative density	: 0.885 - 0.889 (20 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	: No hazards to be specially mentioned.
Conditions to avoid	: Heat.
Incompatible materials	: Strong acids and oxidizing agents
Hazardous decomposition products	: Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product: Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method Acute dermal toxicity : Acute toxicity estimate: 4,969 mg/kg Method: Calculation method Ingredients: 3,7-dimethyloctan-3-ol: Acute oral toxicity : LD50 Oral (Rat, male and female): 8,270 mg/kg Acute oral toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg Acute dermal toxicity : LD50 Oral (Rat, male): 4,617 mg/kg Method: Acute toxicity estimate GLP: no Acute oral toxicity : LD50 Oral (Rat, male): 4,617 mg/kg Method: Acute toxicity estimate GLP: no Acute inhalation toxicity : LD50 Oral (Rat, males): > 830 mg/m3 Exposure time: 8 h Method: Acute toxicity estimate GLP: no Acute dermal toxicity : LD50 Dermal (Rabbit, males): 5,207 mg/kg Method: Acute toxicity estimate GLP: no Acute dermal toxicity : LD50 Dermal (Rabbit, males): 5,207 mg/kg Method: Acute toxicity estimate GLP: no Acute oral toxicity : LD50 Dermal (Rabbit, males): 5,207 mg/kg Method: Acute toxicity estimate GLP: no Acute oral toxicity : LD50 Oral (Rat, male and female): 6,800 mg/kg Acute oral toxicity : LD50 Oral (Rat, male and female): 5,200 mg/kg Acute oral toxicity : LD50 Oral (Rat, male and female): 2,000 mg/kg Acute oral toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg Acute der	rsion	Revision Date: 12-08-2015	MSDS Number: 100000003296	Date of last issue: 10-29-2015 Date of first issue: 10-29-2015
Method: Calculation methodAcute dermal toxicity: Acute toxicity estimate: 4,969 mg/kg Method: Calculation methodIngredients: 3,7-dimethyloctan-3-ol: Acute oral toxicity: LD50 Oral (Rat, male and female): 8,270 mg/kgAcute dermal toxicity: LD50 Dermal (Rabbit): > 5,000 mg/kgOctanal: Acute oral toxicity: LD50 Oral (Rat, male): 4,617 mg/kg Method: Acute toxicity estimate GLP: noAcute inhalation toxicity: LC50 (Rat, males): > 830 mg/m3 Exposure time: 8 h Method: Acute toxicity estimate GLP: noAcute dermal toxicity: LD50 Dermal (Rabbit, males): 5,207 mg/kg 	Prod	uct:		
Ingredients: 3,7-dimethyloctan-3-ol: Acute oral toxicity : LD50 Oral (Rat, male and female): 8,270 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg Octanal: : Acute oral toxicity : LD50 Oral (Rat, male): 4,617 mg/kg Method: Acute toxicity estimate GLP: no Acute inhalation toxicity : LC50 (Rat, males): > 830 mg/m3 Exposure time: 8 h Method: Acute toxicity estimate GLP: no : LD50 Dermal (Rabbit, males): 5,207 mg/kg Acute dermal toxicity : LD50 Dermal (Rabbit, males): 5,207 mg/kg Method: Acute toxicity estimate GLP: no Citral: : LD50 Oral (Rat, male and female): 6,800 mg/kg Acute oral toxicity : LD50 Oral (Rat, male and female): 2,000 mg/kg Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg	Acute	oral toxicity		
3,7-dimethyloctan-3-ol: Acute oral toxicity: LD50 Oral (Rat, male and female): 8,270 mg/kgAcute dermal toxicity: LD50 Dermal (Rabbit): > 5,000 mg/kg Octanal: Acute oral toxicity: LD50 Oral (Rat, male): 4,617 mg/kg Method: Acute toxicity estimate GLP: noAcute inhalation toxicity: LC50 (Rat, males): > 830 mg/m3 Exposure time: 8 h Method: Acute toxicity estimate GLP: noAcute dermal toxicity: LC50 Dermal (Rabbit, males): > 830 mg/m3 Exposure time: 8 h Method: Acute toxicity estimate GLP: noAcute dermal toxicity: LD50 Dermal (Rabbit, males): 5,207 mg/kg Method: Acute toxicity estimate GLP: noCitral: Acute oral toxicity: LD50 Oral (Rat, male and female): 6,800 mg/kgAcute dermal toxicity: LD50 Oral (Rat, male and female): > 2,000 mg/kgKin corrosion/irritation: LD50 Dermal (Rat, male and female): > 2,000 mg/kg	Acute	e dermal toxicity		
Acute oral toxicity: LD50 Oral (Rat, male and female): 8,270 mg/kgAcute dermal toxicity: LD50 Dermal (Rabbit): > 5,000 mg/kgOctanal: Acute oral toxicity: LD50 Oral (Rat, male): 4,617 mg/kg Method: Acute toxicity estimate GLP: noAcute inhalation toxicity: LC50 (Rat, males): > 830 mg/m3 Exposure time: 8 h Method: Acute toxicity estimate GLP: noAcute dermal toxicity: LC50 (Dermal (Rabbit, males): > 6,207 mg/kg Method: Acute toxicity estimate GLP: noAcute dermal toxicity: LD50 Dermal (Rabbit, males): 5,207 mg/kg Method: Acute toxicity estimate GLP: noCitral: Acute oral toxicity: LD50 Oral (Rat, male and female): 6,800 mg/kgAcute dermal toxicity: LD50 Oral (Rat, male and female): > 2,000 mg/kgAcute dermal toxicity: LD50 Dermal (Rat, male and female): > 2,000 mg/kgAcute dermal toxicity: LD50 Dermal (Rat, male and female): > 2,000 mg/kgAcute dermal toxicity: LD50 Dermal (Rat, male and female): > 2,000 mg/kgSkin corrosion/irritation: LD50 Dermal (Rat, male and female): > 2,000 mg/kg	Ingre	<u>dients:</u>		
Octanal: Acute oral toxicity: LD50 Oral (Rat, male): 4,617 mg/kg Method: Acute toxicity estimate GLP: noAcute inhalation toxicity: LC50 (Rat, males): > 830 mg/m3 Exposure time: 8 h Method: Acute toxicity estimate GLP: noAcute dermal toxicity: LD50 Dermal (Rabbit, males): 5,207 mg/kg Method: Acute toxicity estimate GLP: noAcute dermal toxicity: LD50 Dermal (Rabbit, males): 5,207 mg/kg Method: Acute toxicity estimate GLP: noCitral: Acute oral toxicity: LD50 Oral (Rat, male and female): 6,800 mg/kgAcute dermal toxicity: LD50 Oral (Rat, male and female): > 2,000 mg/kgSkin corrosion/irritation: LD50 Dermal (Rat, male and female): > 2,000 mg/kg			: LD50 Oral (F	Rat, male and female): 8,270 mg/kg
Acute oral toxicity: LD50 Oral (Rat, male): 4,617 mg/kg Method: Acute toxicity estimate GLP: noAcute inhalation toxicity: LC50 (Rat, males): > 830 mg/m3 Exposure time: 8 h Method: Acute toxicity estimate GLP: noAcute dermal toxicity: LD50 Dermal (Rabbit, males): 5,207 mg/kg Method: Acute toxicity estimate GLP: noAcute dermal toxicity: LD50 Dermal (Rabbit, males): 5,207 mg/kg Method: Acute toxicity estimate GLP: noCitral: Acute oral toxicity: LD50 Oral (Rat, male and female): 6,800 mg/kgAcute dermal toxicity: LD50 Dermal (Rat, male and female): > 2,000 mg/kgSkin corrosion/irritation: LD50 Dermal (Rat, male and female): > 2,000 mg/kg	Acute	e dermal toxicity	: LD50 Derma	l (Rabbit): > 5,000 mg/kg
Acute inhalation toxicity: LC50 (Rat, males): > 830 mg/m3 Exposure time: 8 h Method: Acute toxicity estimate GLP: noAcute dermal toxicity: LD50 Dermal (Rabbit, males): 5,207 mg/kg Method: Acute toxicity estimate GLP: noCitral: Acute oral toxicity: LD50 Oral (Rat, male and female): 6,800 mg/kgAcute dermal toxicity: LD50 Dermal (Rat, male and female): 6,800 mg/kgAcute dermal toxicity: LD50 Dermal (Rat, male and female): > 2,000 mg/gSkin corrosion/irritation: Skin corrosion/irritation			Method: Acu	
Method: Acute toxicity estimate GLP: no Citral: Acute oral toxicity : LD50 Oral (Rat, male and female): 6,800 mg/kg Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/g Skin corrosion/irritation : Skin corrosion/irritation	Acute	inhalation toxicity	: LC50 (Rat, n Exposure tin Method: Acu	ne: 8 h
Acute oral toxicity: LD50 Oral (Rat, male and female): 6,800 mg/kgAcute dermal toxicity: LD50 Dermal (Rat, male and female): > 2,000 mg/Skin corrosion/irritation	Acute	e dermal toxicity	Method: Acu	
Skin corrosion/irritation			: LD50 Oral (F	Rat, male and female): 6,800 mg/kg
	Acute	e dermal toxicity	: LD50 Derma	I (Rat, male and female): > 2,000 mg/kg
Product:	Skin	corrosion/irritation		
	Prod	uct:		
Remarks: Moderate skin irritation	-		tation	

Ingredients: 3,7-dimethyloctan-3-ol: Assessment: Irritating to skin.

decanal:

Species: Rabbit Result: No skin irritation

Butanoic acid, 3-methyl-, ethyl ester: Assessment: Irritating to skin.

2,4-dimethylcyclohex-3-ene-1-carbaldehyde: Assessment: Irritating to skin.

VersionRevision Date:MSDS Number:1.112-08-201510000003296

Date of last issue: 10-29-2015 Date of first issue: 10-29-2015

Octanal:

Species: Rabbit Method: Directive 67/548/EEC, Annex V, B.4. Result: Irritating to skin. GLP: yes

Citral:

Assessment: Irritating to skin.

citronellol:

Species: Rabbit Result: Skin irritation

Serious eye damage/eye irritation

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Ingredients:

3,7-dimethyloctan-3-ol: Species: Rabbit Result: Eye irritation

decanal:

Species: Rabbit Result: Eye irritation

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment: Irritating to eyes.

Octanal:

Species: Rabbit Result: Eye irritation Method: Directive 67/548/EEC, Annex V, B.5. GLP: yes

Citral: Result: Eye irritation

citronellol: Species: Rabbit Result: Eye irritation

Respiratory or skin sensitization

Ingredients:

3,7-dimethyloctan-3-ol: Species: Guinea pig Result: Did not cause sensitization on laboratory animals.

decanal:

sion	Revision Date: 12-08-2015	MSDS Number: 10000003296	Date of last issue: 10-29-2015 Date of first issue: 10-29-2015
	ies: Humans lt: Does not cause sk	in sensitization.	
		ene-1-carbaldehyde: is a skin sensitizer, sub	-category 1B.
Spec Metho Resu	Type: Freund's compl ies: Guinea pig od: No information av	ailable. sitization on laboratory a	animals.
Citra Resu	= =	kin sensitizer, sub-categ	ory 1B.
	nellol: lt: The product is a sk	kin sensitizer, sub-categ	jory 1B.
Carci	inogenicity		
Carci IARC			his product present at levels greater than or lentified as probable, possible or confirmed h by IARC.
		equal to 0.1% is ic human carcinoger No ingredient of th	lentified as probable, possible or confirmed
IARC		equal to 0.1% is ic human carcinoger No ingredient of th equal to 0.1% is ic gen by OSHA. No ingredient of th	lentified as probable, possible or confirmed by IARC. his product present at levels greater than or
IARC OSH		equal to 0.1% is ic human carcinoger No ingredient of th equal to 0.1% is ic gen by OSHA. No ingredient of th equal to 0.1% is ic	tentified as probable, possible or confirmed by IARC. his product present at levels greater than or tentified as a carcinogen or potential carcino-
IARC OSH NTP Aspin <u>Prod</u>	A ration toxicity	equal to 0.1% is ic human carcinoger No ingredient of th equal to 0.1% is ic gen by OSHA. No ingredient of th equal to 0.1% is ic	tentified as probable, possible or confirmed by IARC. his product present at levels greater than or tentified as a carcinogen or potential carcino-

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

:

Ecotoxicity

Product:

Toxicity to fish

Remarks: No information available.

Vers 1.1	sion	Revision Date: 12-08-2015		SDS Number: 0000003296	Date of last issue: 10-29-2015 Date of first issue: 10-29-2015
		/ to daphnia and other invertebrates	:	Remarks: No info	rmation available.
	Toxicity	∕ to algae	:	Remarks: No info	rmation available.
	Ingredi 3,7-din Toxicity	nethyloctan-3-ol:	:	LC50: 8.9 mg/l Exposure time: 96	ì h
		to daphnia and other invertebrates	:	EC50: 14.2 mg/l Exposure time: 48	3 h
	Toxicity	<i>i</i> to algae	:	EC50: 21.6 mg/l Exposure time: 72	2 h
	decana Toxicity		:	LC50: 2.1 mg/l Exposure time: 96	3 h
		v to daphnia and other invertebrates	:	EC50: 1.94 mg/l Exposure time: 48	3 h
	Toxicity	<i>i</i> to algae	:	EC50: 4.5 mg/l Exposure time: 72	2 h
		cology Assessment c aquatic toxicity	:	Harmful to aquation	c life with long lasting effects.
		nethylcyclohex-3-ene	-1-c	arbaldehyde:	
		icology Assessment c aquatic toxicity	:	Harmful to aquation	c life with long lasting effects.
		II: <i>i</i> to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48 Test Type: flow-th Method: OECD Te GLP: yes	rough test
	Toxicity	∕ to algae	:	EC50 (Pseudokiro mg/l Exposure time: 72 Test Type: static t Method: OECD To GLP: yes	est
	Citral: Toxicity	/ to fish	:	LC50: 6.78 mg/l Exposure time: 96	ì h
	Toxicity	v to daphnia and other	:	EC50 (Daphnia m	agna (Water flea)): 6.8 mg/l

Ver 1.1	sion	Revision Date: 12-08-2015		SDS Number: 0000003296	Date of last issue: 10-29-2015 Date of first issue: 10-29-2015
	aquatio	invertebrates		Exposure time: 48	3 h
	Toxicity	y to algae	:	EC50: 6.8 mg/l Exposure time: 48	3 h
	citrone Toxicity	ellol: y to fish	:	LC50: 14.66 mg/l Exposure time: 96	3 h
		y to daphnia and other invertebrates	:	EC50: 17.48 mg/l Exposure time: 48	3 h
	Toxicity	y to algae	:	EC50: 2.4 mg/l Exposure time: 72	2 h
	Persis	tence and degradabil	ity		
	<u>Produc</u> Biodeg	<u>ct:</u> radability	:	Remarks: No info	rmation available.
		ients: nethyloctan-3-ol: radability	:	Result: Readily bi	odegradable.
	decan a Biodeg	al: radability	:	Result: Readily bi	odegradable.
	Citral: Biodeg	radability	:	Result: Readily bi	odegradable.
	citrone Biodeg	ellol: radability	:	Result: Readily bi	odegradable.
	Bioaco	cumulative potential			
	<u>Produc</u> Bioacc	<u>et:</u> umulation	:	Remarks: Does no	ot bioaccumulate.
		nethyloctan-3-ol: n coefficient: n-	:	log Pow: 3.6	
	decana Partitio octano	n coefficient: n-	:	log Pow: 3.760	
	Octana Partitio octano	n coefficient: n-	:	log Pow: 3.5	

Versio 1.1	on Revision Date: 12-08-2015	MSDS Number: 100000003296	Date of last issue: 10-29-2015 Date of first issue: 10-29-2015
F	citronellol: Partition coefficient: n- octanol/water	: log Pow: 3.55 (25 °C)
Ν	Mobility in soil		
	Product:		
Ν	Mobility	: Remarks: No ir	formation available.
C	Other adverse effects		
	Product:		
-	Results of PBT and vPvB assessment	: Remarks: Base are not met	ed on available data, the classification criteria
	Additional ecological infor- nation	: There is no dat	a available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

IATA-DGR	
UN/ID No.	: UN 1169
Proper shipping name	: EXTRACTS, AROMATIC, LIQUID
Class	: 3
Packing group	: 111
IMDG-Code	
UN number	: UN 1169
Proper shipping name	: EXTRACTS, AROMATIC, LIQUID
Class	: 3
Packing group	: 11
Marine pollutant	: no
Marine politicant	. 110

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

Version	Revision Date:	MSDS Number:	Date of last issue: 10-29-2015
1.1	12-08-2015	10000003296	Date of first issue: 10-29-2015

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
	123-92-2	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	e Hazard	
SARA 302	chemicals in this material are suitements of SARA Title III, Se	, , ,
SARA 313	s material does not contain any own CAS numbers that exceed orting levels established by SA	the threshold (De Minimis)

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know


No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

	3,7-dimethyloctan-3-ol decanal alkanes, C9-12-iso- Butanoic acid, 3-methyl-, ethyl ester 2,4-dimethylcyclohex-3-ene-1-carbaldehyde Octanal	78-69-3 112-31-2 90622-57-4 108-64-5 68039-49-6 124-13-0	50 - 70 % 20 - 30 % 10 - 20 % 10 - 20 % 10 - 20 % 10 - 20 %		
New Jersey Right To Know					
	3,7-dimethyloctan-3-ol	78-69-3	50 - 70 %		
	decanal	112-31-2	20 - 30 %		
	alkanes, C9-12-iso-	90622-57-4	10 - 20 %		
	Butanoic acid, 3-methyl-, ethyl ester	108-64-5	10 - 20 %		
	2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	10 - 20 %		

Version 1.1	Revision Date: 12-08-2015	MSDS Number: 100000003296	Date of last issue: 10-29-20 Date of first issue: 10-29-20		
	Octanal		124-13-0	10 - 20 %	
California Prop 65		: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.			

SECTION 16. OTHER INFORMATION



Revision Date

: 12-08-2015

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8