

AMR 1001907



Misty(R) Disinfectant Foam Cleaner

Revision Date 07/14/2016 Print Date 08/08/2016 Version 1.2

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name

: Misty(R) Disinfectant Foam Cleaner

EPA ID Number:

10807-21

Material number

: 00000000001001907

Manufacturer or supplier's details

Company

Amrep, Inc.

Address

990 Industrial Park Drive

Marietta, GA 30062

Telephone

: 404-352-1680

Emergency telephone numbers			
For SDS Information	- 8	Compliance Services 1-877-428-9937	
For a Medical Emergency	¥3	877-541-2016 Toll Free - All Calls Recorded	
For a Transportation	2	CHEMTREC: 800-424-9300 - All Calls Recorded.	
Emergency		In the District of Columbia 202-483-7616	

Recommended use of the chemical and restrictions on use

Recommended use

: Disinfectant

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas	
Colour	white	
Odour	pleasant	

GHS Classification

Gases under pressure

Liquefied gas Category 1A

Skin corrosion Serious eye damage

: Category 1

GHS label elements

Hazard pictograms

Signal word

Danger

Hazard statements

H280 Contains gas under pressure; may explode if heated.

H314 Causes severe skin burns and eye damage.

Precautionary statements

: Prevention:

P260 Do not breathe dust or mist.

P264 Wash skin thoroughly after handling,



Version 1.2

Revision Date 07/14/2016

Print Date 08/08/2016

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

P410 + P403 Protect from sunlight. Store in a well-ventilated

place. Disposal:

Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
butane	106-97-8	>= 1 - < 5
2-butoxyethanol	111-76-2	>= 1 - < 5
2-(2-ethoxyethoxy)ethanol	111-90-0	>= 1 - < 5
tetrasodium ethylenediaminetetraacetate	64-02-8	>= 1 - < 5
propane	74-98-6	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice

Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled

If unconscious place in recovery position and seek medical

Consult a physician after significant exposure.

Move to fresh air.

In case of skin contact

If skin irritation persists, call a physician.

Wash off immediately with plenty of water for at least 15

minutes.

If on clothes, remove clothes.

Wash contaminated clothing before re-use.



Version 1.2

Revision Date 07/14/2016

Print Date 08/08/2016

In case of eye contact

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If swallowed

Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

DO NOT induce vomiting unless directed to do so by a

physician or poison control center.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media

: Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Water spray

Unsuitable extinguishing media

High volume water jet

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Carbon dioxide (CO2)
Carbon monoxide

Smoke

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored

separately in closed containments.

Use water spray to cool unopened containers.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Ensure adequate ventilation.

Evacuate personnel to safe areas.

Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.



 Version 1.2
 Revision Date 07/14/2016
 Print Date 08/08/2016

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

SECTION 7. HANDLING AND STORAGE

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Always replace cap after use.

Avoid exposure - obtain special instructions before use.

Do not breathe vapours or spray mist.

Conditions for safe storage BEWARE: Aerosol is pressurized. Keep away from direct sun

exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or

red-hot objects.

Observe label precautions.

Keep in a dry, cool and well-ventilated place.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid Strong oxidizing agents

Storage temperature \$ 4.4 - 49 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z-1
		TWA	25 ppm 120 mg/m3	OSHA P0



Version 1.2

Revision Date 07/14/2016

Print Date 08/08/2016

2-(2-ethoxyethoxy)ethanol	111-90-0	TWA	25 ppm	US WEEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-BUTOXYETHANOL	111-76-2	Butoxyacetic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g	ACGIH BEI
Remarks: Creatinine				7.		

Engineering measures

: effective ventilation in all processing areas

Personal protective equipment

Respiratory protection

: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection

Remarks

The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection

: Safety glasses

Ensure that eyewash stations and safety showers are close to

the workstation location.

Eye wash bottle with pure water Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection

Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures

When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.



Misty(R) Disinfectant Foam Cleaner

Version 1.2 Revision Date 07/14/2016 Print Date 08/08/2016

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Aerosol containing a liquefied gas

Colour # white
Odour # pleasant

Odour Threshold No data available

pH 12.2 - 13, No data available

Melting point/freezing point
No data available

Boiling point
No data available

Flash point

Not applicable

Flammability (solid, gas) Not classified as a flammability hazard

Upper explosion limit : No data available
Lower explosion limit : No data available
Vapour pressure : No data available
Relative vapour density : No data available

Solubility(ies)

Density

Water solubility : completely soluble Solubility in other solvents : not determined

Partition coefficient: n-

No data available

: No data available

octanol/water

Auto-ignition temperature : not determined
Thermal decomposition : No data available

Viscosity

Viscosity, kinematic No data available

Heat of combustion 4.59 kJ/g

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable

No decomposition if stored and applied as directed.

Chemical stability \$\footnote{\text{\$\finity}\$}}}}}} \end{restrictions}}}}}}} \end{respect \$\$ \text{\$\frac{\text{\$\footnote{\text{\$\footnote{\text{\$\frac{\text{\$\frac{\frac{\text{\$\frac{\targer{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\eta}{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\eta}{\eta}}}}}}}}} \end{restructe{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\text{\$\frac{\eta}{\text{\$\frac{\eta}{\eta}}}}}}}} \end{restructe{\text{\$\frac{\text{\$\frac{\text{\$\frac{\eta}{\eta}}}}}}} \end{restructe{\text{\$\frac{\text{\$\frac{\text{\$\frac{\eta}{\eta}}}}}} \end{restructe{\text{\$\frac{\

No decomposition if stored and applied as directed.

Possibility of hazardous

reactions

Vapours may form explosive mixture with air.

No decomposition if stored and applied as directed.



Misty(R) Disinfectant Foam Cleaner

Version 1.2

Revision Date 07/14/2016

Print Date 08/08/2016

Conditions to avoid

Heat, flames and sparks.

Extremes of temperature and direct sunlight.

No data available

Incompatible materials

Strong oxidizing agents

Hazardous decomposition

products

: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Carcinogenicity:

No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH Confirmed animal carcinogen with unknown relevance to

humans

2-butoxyethanol 111-76-2

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Acute toxicity

OSHA

Product:

Acute oral toxicity \$\ \alpha\$ Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Method: Calculation method

Components:

butane:

Acute inhalation toxicity LC50 Mouse: 1,237 mg/l

Exposure time: 2 h

LC50 Rat: 1,355 mg/l

propane:



Misty(R) Disinfectant Foam Cleaner

Version 1.2 Revision Date 07/14/2016

Print Date 08/08/2016

Acute inhalation toxicity

LC50 Mouse: 1,237 mg/l Exposure time: 2 h

LC50 Rat: 658 mg/l Exposure time: 4 h

LC50 Rat: 1,355 mg/l

Skin corrosion/irritation

Product:

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

butane:

2-butoxyethanol:

2-(2-ethoxyethoxy)ethanol:

tetrasodium ethylenediaminetetraacetate:

propane:

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available



Version 1.2 Revision Date 07/14/2016 Print Date 08/08/2016

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Product:

Partition coefficient: n-

octanol/water <u>Components:</u> butane :

Partition coefficient: n-

octanol/water

2-(2-ethoxyethoxy)ethanol:

Partition coefficient: n-

octanol/water

Pow: 0.54

: Pow: 2.89

Mobility in soil
No data available

Other adverse effects

No data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of

: Remarks: No data available

Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks This product neither contains, nor was manufactured

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A

+ B).

Additional ecological

information

An environmental hazard cannot be excluded in the

event of unprofessional handling or disposal., Harmful to

aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues ; The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Dispose of in accordance with local regulations.

Dispose of as unused product.

Do not re-use empty containers.



Version 1.2

Revision Date 07/14/2016

Print Date 08/08/2016

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: WARNING

Causes substantial but temporary eye injury.

Causes skin irritation.

Harmful if swallowed.

Harmful if absorbed through skin.

Harmful if inhaled.

Observe label precautions.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium hydroxide	1310-73-2	1000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.



Version 1.2 Revision Date 07/14/2016 Print Date 08/08/2016

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

Sudden Release of Pressure Hazard

Acute Health Hazard

SARA 302

No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65

WARNING: This product contains a chemical known to the

State of California to cause birth defects or other reproductive

harm.

2-ethoxyethanol

110-80-5

The components of this product are reported in the following inventories:

TSCA

On TSCA Inventory

DSL

This product contains one or several components that are not on the

Canadian DSL nor NDSL.

For information on the country notification status for other regions please contact the manufacturer's regulatory group.


Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	2

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

OSHA - GHS Label Information:



Misty(R) Disinfectant Foam Cleaner

Version 1.2

Revision Date 07/14/2016

Print Date 08/08/2016

Hazard pictograms



Signal w ord

Hazard statements

Contains gas under pressure; may explode if heated. Causes severe skin burns and

eve damage.

Precautionary statements

Prevention: Do not breathe dust or mist. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin w ith w ater/ show er. IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Wash contaminated clothing before reuse.

Storage: Store locked up. Protect from sunlight. Store in a well-ventilated place. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	1,2
Revision Date:	07/14/2016
Print Date:	08/08/2016

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.