



Version 1.1 SDS Number: 400000005903 Revision Date: 07/31/2020

SECTION 1. IDENTIFICATION

Product name PURELL® Foodservice Surface Sanitizer

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500

Akron, Ohio 44311

Telephone : 1 (330) 255-6000

Emergency telephone : CHEMTREC 1-800-424-9300

number CHEMTREC +1-703-527-3887: Outside USA & CANADA

Recommended use of the chemical and restrictions on use

Recommended use : Disinfectants and general biocidal products

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids Category 3

GHS label elements

Hazard pictograms

Hazard statements # H226 Flammable liquid and vapour.

Precautionary statements Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards

None known.



Version 1.1 SDS Number: 40000005903 Revision Date: 07/31/2020

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 20 - < 35
Isopropyl Alcohol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if irritation develops and persists.

in case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Seek medical advice.

If swallowed : If swallowed, DO NOT induce vomiting.

> Rinse mouth with water. Obtain medical attention.

Protection of first-aiders First Aid responders should pay attention to self-protection

and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

Do not use a solid water stream as it may scatter and spread

Cool closed containers exposed to fire with water spray.

Flash back possible over considerable distance.

May form explosive mixtures in air.

Exposure to decomposition products may be a hazard to

health.

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.



Version 1.1

SDS Number: 40000005903

Revision Date: 07/31/2020

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Material can create slippery conditions.

Environmental precautions

Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

: Non-sparking tools should be used. Soak up with inert absorbent material.

Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while

observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling Conditions for safe storage

Avoid contact with eyes.

: No smoking.

Take measures to prevent the build up of electrostatic charge.

Keep container tightly closed in a dry and well-ventilated

place.

Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters			Permissible concentratio n	
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of	40 ma/l	ACGIH



Version 1.1 SDS Number: 400000005903 Revision Date: 07/31/2020

shift at end of workwee k

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Eye protection : No special measures necessary provided product is used

correctly.

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : No special measures necessary provided product is used

correctly.

Protective measures : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Ensure that eye flushing systems and safety showers are

located close to the working place.
When using do not eat, drink or smoke.

Hygiene measures Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with eyes.

Wash hands before breaks and immediately after handling

the product.

: No data available

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : colourless
Odour : alcohol-like
Odour Threshold : No data available

pH 12.5 - 13.3, (25 °C)

Melting point/freezing point

Initial boiling point and boiling : 84.5 °C

range

Flash point : 29.5 °C

Method: Pensky-Martens closed cup

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit : No data available

Vapour pressure No data available

Relative density No data available

Density : 0.955 g/cm3



Version 1.1 SDS Number: 40000005903 Revision Date: 07/31/2020

Solubility(ies)

Water solubility soluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature not determined

The substance or mixture is not classified self-reactive. Thermal decomposition

Viscosity

No data available Viscosity, dynamic

Explosive properties Not explosive

The substance or mixture is not classified as oxidizing. Oxidizing properties

SECTION 10. STABILITY AND REACTIVITY

! Not classified as a reactivity hazard. Reactivity

Chemical stability

Possibility of hazardous

Stable under normal conditions.

Vapours may form explosive mixture with air.

reactions

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Eye contact

Acute toxicity

Not classified based on available information.

Components:

Ethyl Alcohol:

: LD50 (Rat): > 5,000 mg/kg Acute oral toxicity

LC50 (Rat): 124.7 mg/l Acute inhalation toxicity

Exposure time: 4 h Test atmosphere: vapour

Isopropyl Alcohol:

LD50 (Rat): > 5,000 mg/kg Acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 72.6 mg/l

Exposure time: 4 h Test atmosphere: vapour

: LD50 (Rat): > 5,000 mg/kg Acute dermal toxicity



Version 1.1

SDS Number: 400000005903

Revision Date: 07/31/2020

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ethyl Alcohol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

Isopropyl Alcohol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol:

Genotoxicity in vitro

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Test species: Mouse

Application Route: Ingestion



Version 1.1 SDS Number: 40000005903 Revision Date: 07/31/2020

Result: negative

Isopropyl Alcohol:

Genotoxicity in vitro * Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo Genotoxicity in vivo

> cytogenetic assay) Test species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Isopropyl Alcohol:

Species: Rat

Application Route: inhalation (vapour)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

No component of this product present at levels greater than or **OSHA**

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

No component of this product present at levels greater than or **NTP**

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Ethyl Alcohol:

: Test Type: Two-generation reproduction toxicity study Effects on fertility

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Isopropyl Alcohol:

: Test Type: Two-generation reproduction toxicity study Effects on fertility

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal

: Test Type: Embryo-foetal development

Species: Rat development



Version 1.1

SDS Number: 400000005903

Revision Date: 07/31/2020

Application Route: Ingestion Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Isopropyl Alcohol:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information,

Repeated dose toxicity

Components:

Ethyl Alcohol: Species: Rat

NOAEL: 2,400 mg/kg

Application Route: Ingestion

Exposure time: 2 y

Isopropyl Alcohol:

Species: Rat NOAEL: 5000 ppm

Application Route: inhalation (vapour)

Exposure time: 104 w

Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethyl Alcohol:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other 👙 EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae

EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

aquatic invertebrates (Chronic toxicity)

Toxicity to daphnia and other NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to bacteria

: EC50 (Photobacterium phosphoreum): 32.1 mg/l

Exposure time: 0.25 h



SDS Number: 40000005903 Revision Date: 07/31/2020 Version 1.1

Isopropyl Alcohol:

LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

EC50 (Pseudomonas putida): > 1,050 mg/l Toxicity to bacteria

Exposure time: 16 h

Persistence and degradability

Components:

Ethyl Alcohol:

Biodegradability

Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

Isopropyl Alcohol:

Biodegradability

Result: rapidly degradable

Bioaccumulative potential

Components:

Ethyl Alcohol:

Partition coefficient: n-

octanol/water

log Pow: -0.35

Isopropyl Alcohol:

Partition coefficient: n-

3 log Pow: 0.05

octanol/water

Mobility in soil No data available

Other adverse effects

No data available

Product:

40 CFR Protection of Environment; Part 82 Protection of Regulation

Stratospheric Ozone - CAA Section 602 Class I Substances

This product neither contains, nor was manufactured with a Remarks

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Dispose of in accordance with local regulations. Waste from residues

SECTION 14. TRANSPORT INFORMATION

International Regulation



Version 1.1 SDS Number: 400000005903 Revision Date: 07/31/2020

IATA-DGR

UN/ID No. : UN 1987

Proper shipping name : Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

Class : 3
Packing group : III

Packing instruction (cargo : 366

aircraft)

Packing instruction 355

(passenger aircraft)

IMDG-Code

UN number UN 1987

Proper shipping name

ALCOHOLS, N.O.S.

(Ethanol, Propan-2-ol)

Class : 3
Packing group : III
Labels : 3

EmS Code F-E, S-D

Marine pollutant : no

National Regulations

49 CFR

UN/ID/NA number : UN 1987

Proper shipping name : Alcohols, n.o.s.

Class : 3
Packing group : III
ERG Code : 127
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Potassium Hydroxide	1310-58-3	1000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 The following components are subject to reporting levels

established by SARA Title III, Section 313:

Isopropyl Alcohol

67-63-0

1.535 %



Version 1.1 SDS Number: 400000005903 Revision Date: 07/31/2020

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI

Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol 64-17-5 29.3989 % Isopropyl Alcohol 67-63-0 1.535 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Potassium Hydroxide 1310-58-3 0.182 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Potassium Hydroxide 1310-58-3 0.182 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop 65 This product does not require a warning label under California

Proposition 65.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

AICS : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL.

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)



Version 1.1


SDS Number: 40000005903

Revision Date: 07/31/2020

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS III:

HEALTH	0
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

: 07/31/2020 **Revision Date**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.