SAFETY DATA SHEET



Crew Heavy Duty Toilet Bowl Cleaner

Revision: 2019-06-06 Version: 03.0

1. IDENTIFICATION

Product name: Crew Heavy Duty Toilet Bowl Cleaner

Product Code: 04560 SDS #: MS0800450 Disinfectant Recommended use: Cleaning product

This product is intended to be used neat.

Uses other than those identified are not recommended Uses advised against:

Manufacturer, importer, supplier: US Headquarters

Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708

Phone: 1-888-352-2249

SDS Internet Address: https://sds.diversey.com

Canadian Headquarters Diversey Canada, Inc. 3755 Laird Road Units 8-11 Mississauga, Ontario L5L 0B3 Phone: 1-800-668-7171

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'I)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1 Specific target organ toxicity (single Category 3 exposure)

Metal Corrosion: Category 1



Signal Word: Danger.

Hazard Statements

CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY CAUSE RESPIRATORY IRRITATION. MAY BE CORROSIVE TO METALS.

Precautionary Statements

Avoid contact with eyes, skin and clothing. Causes burns/ serious damage to mouth, throat and stomach. Keep only in original container. Avoid breathing vapors. Wash affected areas thoroughly after handling. Use only in a well-ventilated area. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store in a well-ventilated place. Keep container tightly closed. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Can react to release hazardous gases. May vigorously react with strong alkaline products resulting in spattering and excessive heat.

Classification for the diluted product @ RTU

Hazard and Precautionary Statements

See undiluted product information above.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
Water	7732-18-5	60 - 100%
Hydrochloric acid	7647-01-0	10 - 30%
Proprietary	TS*	0.5 - 1.5%
Alcohol, C12-C15, ethoxylated	68131-39-5	0.5 - 1.5%
Rosin, ethoxylated	61791-17-1	> 0.1 - < 1%
n-alkyl dimethyl benzyl ammonium chloride	68424-85-1	> 0.1 - < 1%
Trade Secret	Proprietary	> 0.1 - < 1%
Dye	4403-90-1	< 0.1%

^{*}Exact percentages are being withheld as trade secret information

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Notes to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Eyes: See undiluted product information above.

Skin: See undiluted product information above.

Inhalation: See undiluted product information above.

Ingestion: See undiluted product information above.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: Not applicable.

Specific hazards: Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

Environmental precautions Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in and clean-up methods:

a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Mix only with water. DO NOT MIX

WITH AMMONIA, BLEACH, OR OTHER CHLORINATED COMPOUNDS. May react to release hazardous gases. May vigorously react with strong alkaline products resulting in spattering and excessive heat. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place.

Aerosol Level (if applicable): Not applicable.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	CAS#	ACGIH	OSHA
Hydrochloric acid	7647-01-0	2 ppm (Ceiling)	5 ppm (Ceiling)
			7 mg/m³ (Ceiling)

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection: Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

Skin and body protection: Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

Corrosion to metals: Metal corrosive

workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Opaque, Blue Green

Evaporation Rate: No information available

Odor: Minty

Odor threshold: No information available.

Boiling point/range: Not determined

Melting point/range: Not determined Decomposition temperature: Not determined Not applicable

Autoignition temperature: No information available Solubility: Completely Soluble

Solubility in other solvents: No information available

Density: 9.32 1.118

Pulk density: No information available

Vapor density: No information available

Vapor pressure: No information available

Bulk density: No information available **Vapor pressure:** No information available. **Flash point (°F):** >200°F > 93.3 °C **Partition coefficient (n-octanol/water):** No information available

Viscosity: No information available Elemental Phosphorus: 0 % by wt.

VOC: 0 % * pH: 1

Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

VOC % by wt. at use dilution: 0

Flammability (Solid or Gas): Not applicable

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: The product is stable

Possibility of hazardous reactions: May vigorously react with strong alkaline products resulting in spattering and excessive heat.

Hazardous decomposition products: Hydrogen chloride.

Materials to avoid: Strong bases. Ammonia. Do not mix with chlorinated products (such as bleach). Do not mix with any

other product or chemical unless specified in the use directions.

Conditions to avoid: Do not mix with any other product or chemical.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Eye contact, Skin contact, Inhalation, Ingestion

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed). **Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred

^{* -} Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and

difficulty breathing.

Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg): >5000

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

13. DISPOSAL CONSIDERATIONS

Do not contaminate water, food, or feed by storage or disposal.

Waste from residues / unused products (undiluted product):

This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product):

This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Pesticide Storage:

Refer to product label.

Pesticide Disposal:

Refer to product label.

Container Disposal:

Refer to product label.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste.

RCRA Hazard Class (diluted product): Not Applicable.

14. TRANSPORT INFORMATION

DOT (Ground) Bill of Lading Description: UN1789, HYDROCHLORIC ACID SOLUTION, 8, II

IMDG (Ocean) Bill of Lading Description: UN1789, HYDROCHLORIC ACID SOLUTION, 8, II

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA).

U.S. Regulations

EPA Reg. No.: 8155-3-70627

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling

requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

DANGER: CORROSIVE. Causes eye and skin damage. May be fatal if swallowed. Do not breathe vapor or fumes. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Use with adequate ventilation. PHYSICAL AND CHEMICAL HAZARDS: NEVER USE WITH CHLORINE PRODUCTS... these can react to give chlorine gas. If this occurs, flush toilet to remove chemicals and leave area. Do not return for half an hour. Ventilate if possible. Never use or mix with other cleaners or chemicals. Do not use on any surface that can be damaged by acidic materials. Many surfaces are not resistant to acid. Do not use on PVD finished surfaces.

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Hydrochloric acid	7647-01-0	10 - 30%	5000	5000	Χ

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Hydrochloric acid	X		

Canadian Regulations

Ingredient(s)	CAS#	NPRI
Hydrochloric acid	7647-01-0	X

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0

Revision: 2019-06-06 **Version:** 03.0

Reason for revision: Not applicable

Prepared by: North American Regulatory Affairs

Additional advice: • Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.