## SAFETY DATA SHEET



# Spitfire<sup>®</sup> SC Power Cleaner

Revision: 2020-08-11

Version: 02.0

## **1. IDENTIFICATION**

Product name:

Product Code: SDS #: Recommended use:

Uses advised against:

Manufacturer, importer, supplier: US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249 SDS Internet Address: https://sds.diversey.com

Emergency telephone number:

Spitfire® SC Power Cleaner 100969925, 95891201, 95892221, 95892546 MS0801237 • Industrial/Institutional • Heavy Duty Cleaner and Degreaser • This product is intended to be diluted prior to use Uses other than those identified are not recommended

> Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171

1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product		
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 1	
Metal Corrosion:	Category 1	
A		



Signal word:

Danger.

#### Hazard Statements

CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS. <u>Precautionary Statements</u>

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing and wash it before reuse. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with strong alkaline products resulting in spattering and excessive heat.

Spitfire<sup>®</sup> SC Power Cleaner

#### Classification for the diluted product @ 1:13

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### Hazard and Precautionary Statements

None required.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## **Classified Ingredients**

Ingredient(s)	CAS #	Weight %
Benzyl alcohol	100-51-6	10 - 30%
Sodium xylene sulfonate	1300-72-7	7 - 13%
2-(2-ethoxyethoxy)ethanol	111-90-0	5 - 10%
Alcohol, C9-C11, ethoxylated	68439-46-3	5 - 10%
Monoethanolamine	141-43-5	1 - 5%
Potassium hydroxide	1310-58-3	0.5 - 1.5%

## 4. FIRST AID MEASURES

#### Undiluted Product:

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

<u>Most Important Symptoms/Effects:</u> No information available. <u>Immediate medical attention and special treatment needed</u> Not applicable.

### **Diluted Product:**

Eyes: Rinse with plenty of water. Skin: No specific first aid measures are required Inhalation: No specific first aid measures are required Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

## 5. FIRE-FIGHTING MEASURES

Specific methods: Suitable extinguishing media: Specific hazards: No special methods required The product is not flammable. Extinguish fire using agent suitable for surrounding fire. Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Put on appropriate personal protective equipment (see Section 8.). Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

#### 7. HANDLING AND STORAGE

Handling: Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. Do not mix with other

products or chemicals except as directed on the label. Mix only with water. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Absorb spillage to prevent material damage. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. **Storage:** Store in corrosive-resistant container with a resistant inner liner.

Aerosol Level (if applicable) : Not applicable.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	CAS #	ACGIH	OSHA
Monoethanolamine	141-43-5	6 ppm (STEL)	3 ppm (TWA)
		3 ppm (TWA)	6 mg/m³ (TWA)
Potassium hydroxide	1310-58-3	2 mg/m <sup>3</sup> (Ceiling)	

#### Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

#### Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

Eye protection:	Chemical-splash goggles.
Hand protection:	Chemical-resistant gloves.
Skin and body protection:	If major exposure is possible, wear suitable protective clothing and footwear.
Respiratory protection:	No personal protective equipment required under normal use conditions.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

#### Diluted Product:

Engineering measures to reduce exposure: Good general ventilation should be sufficient to control airborne levels.

#### Personal Protective Equipment

Eye protection:No personal protective equipHand protection:No personal protective equipSkin and body protection:No personal protective equipRespiratory protection:No personal protective equipHygiene measures:Handle in accordance with go

No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Evaporation Rate: No information available Odor threshold: No information available. Melting point/range: Not determined Autoignition temperature: No information available Solubility in other solvents: No information available Density: Specific gravity: 1.08 Kg/L Bulk density: No information available Flash point (°F): > 200 °F > 93.4 °C Viscosity: 10 VOC: 2.5 % \* Flammability (Solid or Gas): Not applicable Sustained combustion: Not applicable Explosion limits: - upper: Not determined - lower: Not determined

Color: Clear Red Odor: Pine Fresh Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Completely Soluble Relative Density (relative to water): 1.08 Vapor density: No information available Vapor pressure: No information available. Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0.00 % by wt. pH: > 11 Corrosion to metals: Metal corrosive

# **Dilution pH**: > 11

Dilution Flash Point (°F): > 200 °F > 93.4 °C VOC % by wt. at use dilution: 0.1 %

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## **10. STABILITY AND REACTIVITY**

Reactivity: Stability: Possibility of hazardous reactions: Hazardous decomposition products: Materials to avoid:	Not Applicable The product is stable May vigorously react with acids resulting in spattering and excessive heat. None reasonably foreseeable. Acids. Strong acids. Do not mix with any other product or chemical unless specified in the use directions.
Conditions to avoid:	None known.

## **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort. **Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): None known Target Organs (RE): None known

#### Numerical measures of toxicity

ATE - Oral (mg/kg):	3500
ATE - Dermal (mg/kg):	>5000
ATE - Inhalatory, mists (mg/l):	18

**12. ECOLOGICAL INFORMATION** 

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

#### **13. DISPOSAL CONSIDERATIONS**

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

 RCRA Hazard Class (undiluted product):
 D002 Corrosive Waste

 RCRA Hazard Class (diluted product):
 Not Regulated

 Contaminated Packaging:
 Do not re-use empty containers.

## **14. TRANSPORT INFORMATION**

DOT/TDG/IMDG: The information provided below is the full transportation classification for this product. This description does not account for the

package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: UN1814, POTASSIUM HYDROXIDE SOLUTION, 8, III

IMDG (Ocean) Bill of Lading Description: UN1814, POTASSIUM HYDROXIDE SOLUTION, 8, III

## **15. REGULATORY INFORMATION**

### International Inventories at CAS# Level

TSCA DSL All components are listed or otherwise exempt All components are listed on DSL/NDSL or otherwise exempt.

#### RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Benzyl alcohol	100-51-6	Х	-	Х	-
Sodium xylene sulfonate	1300-72-7	-	-	-	-
2-(2-ethoxyethoxy)ethanol	111-90-0	-	Х	-	-
Alcohol, C9-C11, ethoxylated	68439-46-3	-	-	-	-
Monoethanolamine	141-43-5	Х	Х	Х	-
Potassium hydroxide	1310-58-3	Х	Х	Х	Х
2-butoxyethanol	111-76-2	Х	Х	Х	-
Dye CI 61585	4474-24-2	-	-	-	-
Myrcene	123-35-3	-	-	-	-

#### CERCLA/ SARA

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-(2-ethoxyethoxy)ethanol	111-90-0	5 - 10%			Х
Potassium hydroxide	1310-58-3	0.5 - 1.5%	1000		

Ingredient(s)	САА НАР	CAA ODS	CWA Priority Pollutants
2-(2-ethoxyethoxy)ethanol	Х		
2-butoxyethanol	Х		

Ingredient(s)	CAS #	NPRI
2-butoxyethanol	111-76-2	Х

### **16. OTHER INFORMATION**

**NFPA (National Fire Protection Association)** Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

## Diluted Product:

Health 0 Flammability 0 Instability 0 Special Hazards

**Revision:** 2020-08-11 **Version:** 02.0

Reason for revision: Prepared by: Additional advice:

Spitfire<sup>®</sup> SC Power Cleaner Not applicable North American Regulatory Affairs • Contains an added fragrance, see "Odor" heading in section 9 for specific description Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.