#### I. IDENTIFICATION

Product Name: Product Identifier:

Product identification used on label

AIRWORKS 3.0 - VINEYARD AWPA234, AWPA234-BX Liquid Odor Counteractant

Recommended Use of the Chemical and restrictions on use:

Company: HOSPECO

26301 Curtiss Wright Parkway Richmond Heights, OH 44143

Emergency Phone Emergency Number: 800-255-3924 (Chem Tel Inc)

Number: Information: 800-321-9832

### II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:





**GHS Classification:** Skin Irritation Category 2; Eye Irritation Category 2A; Hazardous to the aquatic environment - Acute

Category 2; Hazardous to the aquatic environment - Chronic Category 2; Flammable Liquid Category 4

Revised 6/1/2018

GHS Signal Word: Warning

GHS Hazard Cumbustible Liquid; Causes skin irritation.; May cause an allergic skin reaction.; Causes serious eye

irritation.; Toxic to aquatic life..; Toxic to aquatic life with long lasting effects.

**GHS Precautions:** 

**Safety Precautions:** . Keep away from open flames. – No smoking. Wash thoroughly after handling. Contaminated work

clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective

gloves/ eye protection/face protection. Use personal protective equipment as required.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take

off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse

Storage: Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulation for

hazardous wastes.

### **III. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS#	%
Benzoic acid, 2-amino-, methyl ester	134-20-3	15 - 40
3-Octanol, 3,7-dimethyl-	78-69-3	7 - 15
2-Oxiranecarboxylic acid, 3-methyl-3-phenyl-, ethyl ester	77-83-8	3 - 7
Butanoic acid, ethyl ester	105-54-4	3 - 7
Acetic acid, phenylmethyl ester	140-11-4	1 - 5
Benzoic acid, 2-hydroxy-, hexyl ester	6259-76-3	1-5
Ionone, methyl-	1335-46-2	1-5
7-Octen-2-ol, 2,6-dimethyl-	18479-58-8	0.5 - 1.5
2-Phenylethanol	60-12-8	0.5 - 1.5
4H-Pyran-4-one, 2-ethyl-3-hydroxy-	4940-11-8	0.5 - 1.5
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)-	5989-27-5	0.1 - 1
Benzene, 1-methoxy-4-methyl-	104-93-8	0.1 - 1
Phenol, 2-methoxy-4-(1-propen-1-yl)-	97-54-1	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

### IV. FIRST-AID MEASURES

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately
Eyes:	Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.
Skin Contact:	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.
Ingestion:	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis.
Most important symptoms and effects - acute Most important	No Data Available
symptoms and effects - chronic	No Data Available
Notes to Doctor:	No additional first aid information available

### **V. FIRE FIGHTING MEASURES**

Flammability Summary:	Combustible	
Extinguishing Media:	Use alcohol resistant foam, carbon dioxide, or dry chemical	
	extinguishing agents. Water may be ineffective but water spray can	

be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being

damaged by fire.

Extinguishing Media advised against: Fire and/or Explosion Hazards:

No Data Available

Vapors may be ignited by sparks, flames or other sources of ignition

if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and

flash back.

**Fire Fighting Methods and Protection:** 

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water

and burn while floating on the surface.

Use methods for the surrounding fire.

**Hazardous Combustion Products:** 

Carbon Oxides, nitrogen oxides (NOx), Carbon dioxide, Carbon

monoxide

### **VI. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions and Equipment:** 

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

Methods for Clean-up:

No special spill clean-up considerations. Collect and discard in regular

trash.

### **VII. HANDLING AND STORAGE**

**Handling Technical Measures and Precautions:** 

Mildly irritating material. Avoid unnecessary exposure. Use spark-proof tools and explosion-proof equipment As with all chemicals, good industrial hygiene practices should be followed when handling this material. Use with adequate ventilation Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area.

**Storage Technical Measures and Conditions:** 

Store in a cool dry place. Isolate from incompatible materials. Keep away from sources of ignition Store in a cool place in original container and protect from sunlight Do not store near combustible materials Store in a tightly closed container Limit quantity of material stored. Store in a cool dry place Keep away from heat, sparks, and flame

Materials to Avoid/Chemical Incompatibility:

Acids Acid chlorides Acid anhydrides Chloroformates Strong oxidizing agents Strong bases Strong acids Oxidising agents Bases Reducing agents Oxidizing mineral acids Strong reducing agents Strong alkalies Nitrogen oxides

### VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Measures:** No exposure limits exist for the constituents of this product. Use local exhaust

ventilation or other engineering controls to minimize exposures and maintain operator comfort. Engineering controls must be designed to meet the OSHA chemical

specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Facilities storing or using this material should be equipped with an eyewash and

safety shower. Engineering controls must be designed to control vapor

concentrations to below levels published in 29 CFR 1910.1000.

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when handling this

product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a

respirator. A supplied air type respiratory will be required.

**Eye Protection:** Wear chemically resistant safety glasses with side shields when handling this product.

Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available.

Wear goggles and a Face shield

**Skin Protection:** Wear protective gloves. Inspect gloves for chemical break-through and replace at

regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber

boots, and chemical safety goggles plus a face shield

Gloves: No information available

**Handling Instructions:** Use spark-proof tools and explosion-proof equipment As with all chemicals, good

industrial hygiene practices should be followed when handling this material. Use with adequate ventilation Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area.

**Control Parameters:** 

 Chemical Name
 ACGIH TLV-TWA
 ACGIH STEL
 OSHA PEL

 No Data Available
 No TLV
 No PEL established

### IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Yellow

**Odor:** Comparable to Standard

Odor Threshold: ND

pH: Not Available

Melting Point/Freezing Point: -9 ° F
Initial Boiling Point: 160 - 163 ° F
Flash Point: 145 ° F

Flash Point:

**AIRWORKS 3.0 - VINEYARD** 

Evaporation Rate:Not AvailableFlammability (Solid, Gas):No Data AvailableUpper Flammable/Explosive Limit:Not AvailableLower Flammable/Explosive Limit:Not Available

Vapor Density: > 1
Relative Density: 1

**Solubility in Water:** Soluble in water- No **Octanol/Water Partition Coefficient:** 3.3 at 20 °C (68 °F) 6.766

Auto-ignition Temperature:463 \( ^{\circ} \) CVolatiles, % by weight:0.0Bulk Density:202.525

#### X. STABILITY AND REACTIVITY

Reactivity: No Data Available

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: No Data Available

Conditions to Avoid: Temperatures above flash point in combination with sparks,

open flames, or other sources of ignition. Heat flame sparks

Avoid moisture open flames Contamination Elevated

temperatures

Materials to Avoid/Chemical Incompatibility: Acids Acid chlorides Acid anhydrides Chloroformates Strong

oxidizing agents Strong bases Strong acids Oxidising agents
Bases Reducing agents Oxidizing mineral acids Strong reducing

agents Strong alkalies Nitrogen oxides

Hazardous Decomposition Products: Carbon Oxides nitrogen oxides (NOx) Carbon dioxide Carbon

monoxide

#### XI. TOXICOLOGICAL INFORMATION

**Routes of Entry:** Inhalation, Ingestion, Skin contact, Eye contact

Most Important No Data Available

Symptoms:

Target Organs Potentially Affected by Exposure: Eyes, Nervous System, Respiratory Tract, Skin

Chemical Interactions That Change Toxicity: None Known

Medical Conditions Aggravated by Exposure: Eye disease, Respiratory disease including asthma and bronchitis, Skin

disease including eczema and sensitization

### Immediate (Acute) Health Effects by Route of Exposure:

**Skin Contact:** Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

**Skin Absorption:** No absorption hazard in normal industrial use.

**Eye Contact:** Contact with the eyes may cause moderate to severe eye injury. Eye contact may

result in tearing and reddening, but not likely to permanently injure eye tissue.

Temporary vision impairment (cloudy or blurred vision) is possible.

**Ingestion Irritation:** Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea. Aspiration of material into the lungs can cause chemical

**AIRWORKS 3.0 - VINEYARD** 

pneumonitis.

**Ingestion Toxicity:** Harmful if swallowed.

Long-Term (Chronic) Health Effects:

**Carcinogenicity:**None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

**Reproductive toxicity:**No data available to indicate product or any components present at greater than

0.1% may cause birth defects. Possible reproductive hazard.

**Germ cell mutagenicity:**No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

**Inhalation:** Upon prolonged and/or repeated exposure, can cause moderate respiratory

irritation, dizziness, weakness, fatigue, nausea and headache.

**Skin Contact:** Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,

and dermatitis. Not likely to cause permanent damage.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial use.

**Component Toxicology Data:** 

Chemical Name CAS Number LD50/LC50

No data available

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

<b>Chemical Name</b>	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

### XII. ECOLOGICAL INFORMATION

**Overview:** This material is not expected to be harmful to the ecology.

Mobility in Soil:No Data AvailablePersistence:No Data AvailableBioaccumulation:No Data AvailableOther adverse effectsNo Data Available

**Ecotoxicity Data** 

Chemical Name CAS Number Aquatic EC50 Aquatic ERC50 Aquatic LC50 Fish

Crustacea Algae

No Data Available

### XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent Product: Spent or discarded material may be a hazardous waste.

Waste Description for Empty No Data Available

Packaging:

**DISPOSAL Methods:** DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY

**AIRWORKS 3.0 - VINEYARD** 

BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.

#### **XIV. TRANSPORTATION INFORMATION**

US DOT Ground Shipping Description:

IATA Shipping Description:

IMDG Shipping Description:

Not Restricted

Not Restricted

#### XV. REGULATORY INFORMATION

**TSCA Status** All components in this product are on the TSCA Inventory.

Chemical Name CAS # Regulation % Range

No 313-listed chemicals in this product SARA 313

#### **XVI. OTHER INFORMATION**

**Revision Date:** 6-1-2018

**Disclaimer:** Important: While the descriptions, data and information contained herein are presented in

good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.