



Conveyor Lube

SECTION 1. IDENTIFICATION

Product Identifier	Conveyor Lube
Other Means of Identification	6825
Recommended Use	Detergent lubricant.
Restrictions on Use	No information available.
Manufacturer/Supplier Identifier	Sunburst Chemicals, Inc., 220 W. 86th St., Bloomington, MN, 55420, 952-884-3144
Emergency Phone No.	Emergency Telephone Number, 1-866-303-6943
SDS No.	0003

SECTION 2. HAZARD IDENTIFICATION

Classified according to Canada's Hazardous Products Regulations (WHMIS 2015) and the US Hazard Communication Standard (HCS 2012).

Classification

Acute toxicity (Oral) - Category 4; Skin irritation - Category 2; Eye irritation - Category 2

Label Elements



Signal Word:
Warning

Hazard Statement(s):
Harmful if swallowed.
Causes skin irritation.
Causes serious eye damage.

Precautionary Statement(s):
Prevention:
Wash hands and skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
Avoid breathing dust/fume/gas/mist/vapours/spray.

General Advice
IF exposed or concerned: Get medical attention/advice

Product Identifier: Conveyor Lube - Ver. 3
Date of Preparation:
Date of Last Revision: November 04, 2019

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTRE or doctor.

Skin

IF ON SKIN: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.

Inhalation

IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage:

Store locked up.
Store in a well-ventilated place. Keep container tightly closed.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

Not applicable.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
water	7732-18-5	60-80		
Oleic acid	112-80-1	5-15		
Alcohols, C14-15, ethoxylated	68951-67-7	5-15		
Isopropyl alcohol	67-63-0	1-10		
Tetrasodium ethylenediaminetetraacetate	64-02-8	1-10		
Sodium hydroxide	1310-73-2	1-5		

Notes

PRODUCT AT USE DILUTION

Contains ingredients listed above at weight % less than 0.1%

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Remove source of exposure or move to fresh air. Get medical advice or attention if you feel unwell or are concerned.

Skin Contact

Product Identifier: Conveyor Lube - Ver. 3

Date of Preparation:

Date of Last Revision: November 04, 2019

Page 02 of 08

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. If symptoms persist, call a physician.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Seek immediate medical attention/advice.

Ingestion

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

First-aid Comments

Get medical advice or attention if you feel unwell or are concerned.

Most Important Symptoms and Effects, Acute and Delayed

None known.

Immediate Medical Attention and Special Treatment

Special Instructions

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Water. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Product

Not sensitive to static discharge.

Not sensitive to mechanical impact.

Special Protective Equipment and Precautions for Fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Avoid contact with skin, eyes and clothing. Do not breathe spray mist. Ensure adequate ventilation. Use personal protective equipment. If spilled, take caution, as material can cause surfaces to become slippery.

Environmental Precautions

Avoid release to the environment. Collect spillage. See Section 12 for additional Ecological Information. Dispose of contents/container to an approved waste disposal plant.

Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product.

Collect and reuse if possible. Following product recovery, flush area with water.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Do not eat, drink or smoke when using this product, or its use solutions.

Conditions for Safe Storage

Product Identifier: Conveyor Lube - Ver. 3

Date of Preparation:

Date of Last Revision: November 04, 2019

Page 03 of 08

Keep container tightly closed. Keep container closed when not in use. Keep out of the reach of children.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Sodium hydroxide	2 mg/m ³		2 mg/m ³	2 mg/m ³		
Isopropyl alcohol	200 ppm		400 ppm			

Appropriate Engineering Controls

Provide eyewash in work area, if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Rubber or vinyl gloves recommended when handling solid chemicals or their use solutions.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Amber.
Odour	Oily
Odour Threshold	Not available
pH	12.0 - 13.0
Melting Point/Freezing Point	Not available (melting); Not applicable (freezing)
Initial Boiling Point/Range	100 °C (212 °F)
Flash Point	Not available
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not applicable
Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	1.02
Solubility	Soluble in water; Not available (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not applicable
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Viscosity	Not applicable (kinematic); Not applicable (dynamic)
Other Information	
Physical State	Liquid
Use Dilution	Use dilution pH is 8.5 - 9.5 pH
VOC Content	VOC Content (%) = 1 - 10%

Product Identifier: Conveyor Lube - Ver. 3

Date of Preparation:

Date of Last Revision: November 04, 2019

Page 04 of 08

SECTION 10. STABILITY AND REACTIVITY

Reactivity

None known.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

None known.

Incompatible Materials

None known.

Hazardous Decomposition Products

None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Skin contact; eye contact.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Sodium hydroxide	Not available	Not available	1350 mg/kg (rat)
Tetrasodium ethylenediaminetetraacetate	Not available	1780-1800 mg/kg (rat)	Not available
Isopropyl alcohol	19000 ppm (rat)	4396 mg/kg (rat)	12870 mg/kg (rat)
Alcohols, C14-15, ethoxylated	Not available	1000 mg/kg (rat)	> 2000 mg/kg (rat)
Oleic acid	Not available	25000 mg/kg (rat)	Not available

LC50: No information was located.

LD50 (oral): No information was located.

LD50 (dermal): No information was located.

Skin Corrosion/Irritation

Causes skin irritation.

Serious Eye Damage/Irritation

Causes serious eye damage.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause irritation of respiratory tract.

Ingestion

Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information available.

Respiratory and/or Skin Sensitization

No information available.

Product Identifier: Conveyor Lube - Ver. 3

Date of Preparation:

Date of Last Revision: November 04, 2019

Page 05 of 08

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
Isopropyl alcohol	Group 3			Listed

Group 3 – Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity

Development of Offspring

No information was located.

Sexual Function and Fertility

No information was located.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

Not mutagenic.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful, with long lasting effects to aquatic life, based on acute toxicity tests.

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Sodium hydroxide	45.4 mg/L (Lepomis macrochirus (bluegill); static)	Not available	Not available	Not available
Tetrasodium ethylenediaminetetraacetate	490 mg/L (Lepomis macrochirus (bluegill); 96-hour; static)	610 mg/L (Daphnia magna (water flea); 24-hour)	Not available	2.77 mg/L (Desmodesmus subspicatus (algae); 72-hour)
Isopropyl alcohol	9640 mg/L (Pimephales promelas (fathead minnow); 96-hour)	13299 mg/L (Daphnia magna (water flea); 48-hour)	Not available	> 1000 mg/L (Desmodesmus subspicatus (algae); 96-hour)
Alcohols, C14-15, ethoxylated	0.9 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; static)	0.25 mg/L (Daphnia magna (water flea); 48-hour)	Not available	0.95 mg/L (96-hour)
Oleic acid	205 mg/L (96-hour)	Not available	Not available	Not available

Persistence and Degradability

No information available.

Bioaccumulative Potential

No information was located.

Mobility in Soil

No information was located.

Other Adverse Effects

There is no information available.

Product Identifier: Conveyor Lube - Ver. 3

Date of Preparation:

Date of Last Revision: November 04, 2019

Page 06 of 08

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG regulations. Not regulated under US DOT Regulations.

Environmental Hazards Not applicable

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

Additional USA Regulatory Lists

SARA Title III - Section 313:

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA Title III - Section 311/312:

Acute Health Hazard	Yes	
Chronic Health Hazard	No	
Fire Hazard	No	
Sudden Release of Pressure Hazard	No	No
Reactive Hazard	No	No

California Proposition 65

This product contains no Proposition 65 chemicals.

U.S. EPA Label Information

EPA Registration Number : Not applicable.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

CWA - Hazardous Substances :. (Sodium hydroxide)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Hazardous Substances RQs:

Sodium Hydroxide 1000 lb final RQ/ RQ 454 kg final RQ

U.S. State Right-to-Know Regulations

Pennsylvania Right To Know:.. (Oleic acid)

Product Identifier: Conveyor Lube - Ver. 3

Date of Preparation:

Date of Last Revision: November 04, 2019

Page 07 of 08

Rhode Island: (Oleic acid)

New Jersey Right To Know: (Isopropyl alcohol)

Massachusetts Right To Know: (Isopropyl alcohol)

Pennsylvania Right To Know: (Isopropyl alcohol)

Rhode Island: (Isopropyl alcohol)

Massachusetts Right To Know: (Sodium hydroxide)

New Jersey Right To Know: (Sodium hydroxide)

Pennsylvania Right To Know: (Sodium hydroxide)

Illinois Right to Know: (Sodium hydroxide)

Rhode Island: (Sodium hydroxide)

SECTION 16. OTHER INFORMATION

NFPA Rating **Health - 1** **Flammability - 0** **Instability - 0**

SDS Prepared By Sunburst Chemicals.

Phone No. 952-884-3144

Date of Last Revision November 04, 2019

Product Identifier: Conveyor Lube - Ver. 3

Date of Preparation:

Date of Last Revision: November 04, 2019

Page 08 of 08