Buckey	⊘ ® Sa	afety Data Sheet
Issue Date: 27-Dec-2011	Revision Date: 17-Apr-2020	Version 4
	1. IDENTIFICATION	
Product identifier Product Name	Symmetry Foaming Hand Sanitizer-Frage	ance Free
Other means of identification SDS #	BE-9019	
Product Code UN/ID No	9019 UN1170	
<u>Recommended use of the chemica</u> Recommended Use	l and restrictions on use Hand Sanitizer.	
Details of the supplier of the safety Supplier Address Buckeye International, Inc. 2700 Wagner Place Maryland Heights, MO 63043 USA	<u>data sheet</u>	
<u>Emergency telephone number</u> Company Phone Number Emergency Telephone	1-314-291-1900 INFOTRAC 1-352-323-3500 (Internationa 1-800-535-5053 (North America)	l)
	2. HAZARDS IDENTIFICAT	ION
Appearance Clear liquid	Physical state Liquid	Odor Characteristic No fragrance added
<u>Classification</u>		
Serious eye damage/eye irritation Flammable liquids		Category 2 Category 3
<u>Signal Word</u> Warning		
Hazard statements Causes serious eye irritation Flammable liquid and vapor	•	
$\vee \lor$		

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/eye protection/face protection Keep away from heat/sparks/open flames/hot surfaces. — No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof equipment Use only non-sparking tools Take precautionary measures against static discharge

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower IN CASE OF FIRE: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Ethyl Alcohol	64-17-5	65.26
Water	7732-18-5	>30.74
Polydimethylsiloxane	63148-62-9	<3

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation persists.	
Skin Contact	If skin irritation occurs, rinse affected area with water.	
Inhalation	Remove to fresh air.	
Ingestion	Drink 2-3 large glasses of water. Do NOT induce vomiting. Call a physician. Never give anything by mouth to an unconscious person.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Contact may cause irritation and redness.	
Indication of any immediate medical attention and special treatment needed		

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Flammable due to alcohol content.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Spills may be slippery.

Environmental precautions

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.	

Methods for Clean-Up Pick up with mop, wet/dry vac, or absorbent material. Rinse area with clear water and allow floor to dry before allowing traffic.

7. HANDLING AND STORAGE

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Store away from
heat, sparks, flame. Keep container closed when not in use. Store at room temperature.
Protect from freezing.

Incompatible Materials Chlorine bleach.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	When using product, do not rub eyes.
Skin and Body Protection	No protective equipment is needed under normal use conditions.
Respiratory Protection	No protective equipment is needed under normal use conditions.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance	Liquid Clear liquid	Odor	Characteristic No fragrance added
Color	Not determined	Odor Threshold	Not determined
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range	<u>Values</u> Not available Not determined 78 °C / 172 °F	<u>Remarks • Method</u>	
Flash point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air	23 °C / 74 °F >1.0 n/a-liquid	CC (closed cup) (n-BuAc =1)	
Upper flammability or explosive limits	Not available		
Lower flammability or explosive limits	Not available		
Vapor Pressure Vapor Density	Not determined Not determined		
Relative Density Water Solubility	0.88 Mostly Soluble		
Solubility in other solvents Partition Coefficient	Not determined Not determined		
Autoignition temperature Decomposition temperature Kinematic viscosity	Not determined Not determined Not determined		
Dynamic Viscosity Explosive Properties Oxidizing Properties	Not determined Not determined Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Heat, flames and sparks.

Incompatible materials

Chlorine bleach.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information
Eye Contact	Causes serious eye irritation.
Skin Contact	Not expected to be a skin irritant during prescribed use.
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Ingestion	Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h
Polydimethylsiloxane 63148-62-9	> 24 g/kg (Rat)> 17 g/kg (Rat)	> 2 g/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol	A3	Group 1	Known	Х
64-17-5				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document . Oral LD50 10,616.00 mg/kg ATEmix (inhalation-dust/mist) 191.10 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ethyl Alcohol		13400 - 15100: 96 h Pimephales	10800: 24 h Daphnia magna mg/L
64-17-5		promelas mg/L LC50 flow-through	EC50 2: 48 h Daphnia magna mg/L
		12.0 - 16.0: 96 h Oncorhynchus	EC50 Static 9268 - 14221: 48 h
		mykiss mL/L LC50 static 100: 96 h	Daphnia magna mg/L LC50
		Pimephales promelas mg/L LC50	
		static	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Ethyl Alcohol	-0.32
64-17-5	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Ethyl Alcohol	Toxic
64-17-5	Ignitable

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT	
UN/ID No	UN1170
Proper Shipping Name	Ethanol solution
Hazard class	3
Packing Group	111

IATA

UN number	UN1170
Proper Shipping Name	Ethanol solution
Transport hazard class(es)	3
Packing Group	III

IMDG

UN number	UN1170
Proper Shipping Name	Ethanol solution
Transport hazard class(es)	3
Packing Group	III

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Ethyl Alcohol	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Water	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Polydimethylsiloxane	Х	ACTIVE	Х			Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65	
Ethyl Alcohol - 64-17-5	Carcinogen	
	Developmental	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol	Х	X	Х
64-17-5			

16. OTHER INFORMATION

<u>NFPA</u> HMIS	Health Hazards 0 Health Hazards Not determined	Flammability 3 Flammability Not determined	Instability 0 Physical hazards Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	27-Dec-2011 17-Apr-2020 Regulatory update			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet