

GOJO® PCMX E-2 Sanitizing Lotion Soap SDS Number: 40000005715 Version 1.0 Revision Date: 02/15/2019 **SECTION 1. IDENTIFICATION** Product name : GOJO® PCMX E-2 Sanitizing Lotion Soap Manufacturer or supplier's details Company name of supplier : GOJO Industries, Inc. Address One GOJO Plaza, Suite 500 : Akron, Ohio 44311 Telephone : 1 (330) 255-6000 Emergency telephone : CHEMTREC 1-800-424-9300 number CHEMTREC +1-703-527-3887: Outside USA & CANADA Recommended use of the chemical and restrictions on use Recommended use : Antibacterial Soap This is a personal care or cosmetic product that is safe for Restrictions on use 5 consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS

contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large

spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	: H319 Causes serious eye irritation.



Version 1.0	SDS Number: 400000005715	Revision Date: 02/15/2019
Precautionary statements	 Prevention: P280 Wear eye protection/ face pr Response: P305 + P351 + P338 IF IN EYES: for several minutes. Remove conta to do. Continue rinsing. P337 + P313 If eye irritation persis attention. 	Rinse cautiously with water act lenses, if present and easy

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethanolamine	141-43-5	>= 1 - < 5
Chloroxylenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	In the case of accident or if you feel unwell, seek medica advice immediately. When symptoms persist or in all cases of doubt seek me advice.	
If inhaled	If inhaled, remove to fresh air. If symptoms persist, call a physician.	
In case of skin contact	Get medical attention if irritation develops and persists.	
In case of eye contact	In case of contact, immediately flush eyes with plenty of for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.	water
If swallowed	If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.	
Most important symptoms and effects, both acute and delayed	Causes serious eye irritation.	
Protection of first-aiders	First Aid responders should pay attention to self-protection and use the recommended protective clothing	on

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or
		carbon dioxide.



Version 1.0	SDS Number: 400000005715	Revision Date: 02/15/2019
Unsuitable extinguishing media	: None known.	
Hazardous combustion products	: Carbon oxides Metal oxides Sulphur oxides Nitrogen oxides (NOx)	
Specific extinguishing methods	: Use extinguishing measures the circumstances and the surround Use water spray to cool unoper	ding environment.
Further information	: Collect contaminated fire exting must not be discharged into dra Fire residues and contaminated be disposed of in accordance w	ins. I fire extinguishing water must
Special protective equipment for firefighters	: In the event of fire, wear self-co Use personal protective equipm	e

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.
Environmental precautions	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Clean contaminated floors and objects thoroughly while observing environmental regulations.
Methods and materials for containment and cleaning up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Do not swallow. Avoid contact with eyes. Keep container closed when not in use.
Conditions for safe storage	 Keep in properly labelled containers. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.



Version 1.0

SDS Number: 40000005715

Revision Date: 02/15/2019

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z-1
		STEL	6 ppm 15 mg/m3	OSHA P0
		TWA	3 ppm 8 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye protection	:	No special protective equipment required. Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	No special protective equipment required.
Protective measures	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, yellow, amber
Odour	: Non-fragranced
Odour Threshold	: No data available
рН	: 7.0 - 10.0, (20 °C)



Version 1.0	SDS Number: 400000005715	Revision Date: 02/15/2019
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: 91 °C	
Flash point	: >100 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Flammability (liquids)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 1.0261 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is not	t classified self-reactive.
Viscosity Viscosity, kinematic	: 1000 - 20000 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is not	t classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Conditions to avoid	: None known.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.



Version 1.0

SDS Number: 40000005715

Revision Date: 02/15/2019

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Eye contact Skin contact	of exposure
Acute toxicity	
Not classified based on availa	able information.
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	 Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
Ethanolamine:	
Acute oral toxicity	: LD50 (Rat): 1,515 mg/kg
Acute inhalation toxicity	 Acute toxicity estimate : 11 mg/l Test atmosphere: vapour Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI
Acute dermal toxicity	: LD50 (Rabbit): 1,025 mg/kg
Chloroxylenol: Acute oral toxicity	 Acute toxicity estimate : 500 mg/kg Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI
Acute inhalation toxicity	: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment: Not irritating when applied to human skin. Result: No skin irritation

Components:



Version 1.0

SDS Number: 40000005715

Revision Date: 02/15/2019

Ethanolamine: Species: Rabbit

Result: Corrosive after 3 minutes to 1 hour of exposure

Chloroxylenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethanolamine: Species: Rabbit Result: Irreversible effects on the eye

Chloroxylenol:

Result: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Result: Does not cause skin sensitisation. Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

Components:

Ethanolamine:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethanolamine: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	 Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative



Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES) Result: negative Carcinogenicity Not classified based on available information. IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity No components: Effects on feetal development Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT - single exposure Not classifi	sion 1.0	SDS Number: 400000005715	Revision Date: 02/15/201
Not classified based on available information. IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by VSHA. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity Not classified based on available information. Components: Ethanolamine: Effects on fertility : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Effects on foetal : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT - single exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity	Chloroxylenol: Genotoxicity in vitro		utation assay (AMES)
equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. OSHA No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity Not classified based on available information. Components: Effects on foetal : Test Type: Embryo-foetal development development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Stot cassified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. Stot cassified based on available information. <td>Carcinogenicity Not classified based on a</td> <td>vailable information.</td> <td></td>	Carcinogenicity Not classified based on a	vailable information.	
equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity Not classified based on available information. <u>Components:</u> Ethanolamine: Effects on fertility : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Effects on foetal : Test Type: Embryo-foetal development development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT - single exposure Not classified based on available information. <u>Components:</u> Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. <u>Components:</u> Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. <u>Components:</u> Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. <u>Components:</u> Ethanolamine: Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity	IARC	equal to 0.1% is identified as prob	
equal to 0.1% is identified as a known or anticipated carcinoger by NTP. Reproductive toxicity Not classified based on available information. Components: Ethanolamine: Effects on fertility : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Effects on foetal : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT - single exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Assessment: Nay cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity	OSHA	equal to 0.1% is identified as a ca	sent at levels greater than or rcinogen or potential
Not classified based on available information. Components: Ethanolamine: Effects on fertility : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Effects on foetal : Test Type: Embryo-foetal development Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT - single exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity	NTP	equal to 0.1% is identified as a kn	
Ethanolamine: Effects on fertility : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Effects on foetal development : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT - single exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - single exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. Stot classified based on available information. Components: Ethanolamine: Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity	Reproductive toxicity Not classified based on a	vailable information.	
Ethanolamine: Effects on fertility : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Effects on foetal development : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT - single exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - single exposure Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. Stot classified based on available information. Components: Ethanolamine: Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity	Components:		
development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative STOT - single exposure Not classified based on available information. <u>Components:</u> Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. <u>Components:</u> Ethanolamine: Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity	Ethanolamine: Effects on fertility	Species: Rat Application Route: Ingestion	roduction toxicity study
Not classified based on available information. Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity	Effects on foetal development	Species: Rat Application Route: Ingestion Method: OECD Test Guideline	
Components: Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity	STOT - single exposure		
Ethanolamine: Assessment: May cause respiratory irritation. STOT - repeated exposure Not classified based on available information. Components: Ethanolamine: Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity		vailable information.	
Not classified based on available information. <u>Components:</u> <u>Ethanolamine:</u> Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. <u>Repeated dose toxicity</u>	Ethanolamine:	respiratory irritation.	
Components: Ethanolamine: Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity			
Ethanolamine: Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/ or less. Repeated dose toxicity			
	Ethanolamine: Exposure routes: inhalation		concentrations of 0.2 mg/l/6h/o
Components:	Repeated dose toxicity		
	Components:		



Version 1.0

SDS Number: 40000005715

Revision Date: 02/15/2019

Ethanolamine:

Species: Rat NOAEL: 150 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 28 d

Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:	
Ethanolamine: Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 349 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 65 mg/l Exposure time: 48 h
Toxicity to algae	: ErC50 (Selenastrum capricornutum (green algae)): 2.8 mg/l Exposure time: 72 h
	NOEC (Scenedesmus capricornutum (fresh water algae)): 1 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Orange-red killifish)): 1.24 mg/l Exposure time: 41 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.85 mg/l Exposure time: 21 d
Toxicity to bacteria	: EC50 (Pseudomonas putida): 110 mg/l Exposure time: 17 h
Chloroxylenol: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7.7 mg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	: 1



Version 1.0	SDS Number: 400000005715	Revision Date: 02/15/2019
Persistence and degradabil	lity	
<u>Components:</u> Ethanolamine: Biodegradability	 Result: Readily biodegradable. Biodegradation: > 90 % Exposure time: 21 d 	
Bioaccumulative potential		
Components: Ethanolamine: Partition coefficient: n- octanol/water Chloroxylenol: Partition coefficient: n- octanol/water	: log Pow: -1.91 : log Pow: 3.27	
Mobility in soil No data available		
Other adverse effects No data available		
Product: Regulation	40 CFR Protection of Environmer Stratospheric Ozone - CAA Secti	•
Remarks	This product neither contains, no Class I or Class II ODS as define Section 602 (40 CFR 82, Subpt.	ed by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations



Version 1.0

SDS Number: 40000005715

Revision Date: 02/15/2019

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 311/312 Hazards	:	Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethanolamine 141-43-5 2.576 % This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop 65	This product does not require a warning label under California
	Proposition 65.

The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
AICS	: On the inventory, or in compliance with the inventory
DSL	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory



 Version 1.0
 SDS Number: 40000005715
 Revision Date: 02/15/2019


NZIoC

: On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION



Revision Date : 02/15/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.