

Version 1.0	SDS Number: 40000000736	Revision Date: 06/01/2023

## **SECTION 1. IDENTIFICATION**

Product name	:	PURELL® Advanced Hand Sanitizer ULTRA NOURISHING™ Foam
Manufacturer or supplier's o	deta	ails
Company name of supplier		GOJO Industries, Inc.
Address	:	One GOJO Plaza, Suite 500
Telephone		Akron, Ohio 44311 1 (330) 255-6000
relephone	•	1 (556) 255-5556
Emergency telephone number	:	CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887: Outside USA & CANADA
number		CHEINITREC + 1-703-327-3007. OUISIDE USA & CANADA

## Recommended use of the chemical and restrictions on use

Recommended use	: Hand Sanitizer
Restrictions on use	: This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

## SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
<b>GHS label elements</b> Hazard pictograms	
Signal word	: Warning
Hazard statements	: H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	: <b>Prevention:</b> P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.



Version 1.0	SDS Number: 40000000736	Revision Date: 06/01/2023
	P233 Keep container tightly clo	sed.
	P240 Ground/bond container a	
	P241 Use explosion-proof elect	• • •
	equipment.	0 0 0
	P242 Use only non-sparking to	ols.
	P243 Take precautionary meas	sures against static discharge.
	P264 Wash skin thoroughly after	
	P280 Wear protective gloves/ e	eye protection/ face protection.
	Response:	
	P305 + P351 + P338 IF IN EYE	
	for several minutes. Remove co	ontact lenses, if present and eas
	to do. Continue rinsing.	
	P337 + P313 If eye irritation pe	rsists: Get medical advice/
	attention.	
	P370 + P378 In case of fire: Us	
	alcohol-resistant foam to exting	uish.
	Storage:	
	P403 + P235 Store in a well-ve	ntilated place. Keep cool.
	Disposal:	ainer to an annround waste
	P501 Dispose of contents/ cont	amento an approved waste
	disposal plant.	

## Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 60 - < 70
Isopropyl Alcohol	67-63-0	>= 1 - < 5

## SECTION 4. FIRST AID MEASURES

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>	
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.	
In case of skin contact	: Get medical attention if irritation develops and persists.	
In case of eye contact	<ul> <li>In case of contact, immediately flush eyes with plenty of wate for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Seek medical advice.</li> </ul>	r
If swallowed	<ul> <li>Do NOT induce vomiting.</li> <li>Rinse mouth with water.</li> <li>Obtain medical attention.</li> </ul>	
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.	
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing	



Version 1.0

SDS Number: 40000000736

Revision Date: 06/01/2023

## **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media Unsuitable extinguishing	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. High volume water jet	
media	nigh volume water jet	
Specific hazards during firefighting	Do not use a solid water stream as it may scatter and spre- fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides Silicon oxides	ead
Hazardous combustion products	Carbon oxides Silicon oxides	
Specific extinguishing methods	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.	
Further information	Collect contaminated fire extinguishing water separately. T must not be discharged into drains. Fire residues and contaminated fire extinguishing water m be disposed of in accordance with local regulations.	
Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparate Use personal protective equipment.	us.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	<ul> <li>Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.</li> </ul>

## SECTION 7. HANDLING AND STORAGE



Version 1.0	SDS Number: 40000000736	Revision Date: 06/01/2023
Advice on safe handling	: For personal protection see section Keep away from heat. Use with local exhaust ventilation. Avoid contact with eyes.	
Conditions for safe storage	: Take measures to prevent the bui Keep in properly labelled containe Keep container tightly closed in a place. Store in accordance with the parti	ers. dry and well-ventilated

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

## Components with workplace control parameters

#### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

## Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection		
Remarks		No special protective equipment required.
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	No special protective equipment required.
Protective measures	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
		Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety



Version 1.0

SDS Number: 40000000736

Revision Date: 06/01/2023

practice. Avoid contact with eyes.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour Odour Threshold	: liquid : clear, colourless, yellow : alcohol-like : No data available
рН	: 6.5 - 8.5, (20 °C)
Melting point/freezing point Initial boiling point and boiling range	: No data available : 75 °C
Flash point	: 23 °C Method: Pensky-Martens closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.875 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.



Version 1.0	SDS Number: 400000000736	Revision Date: 06/01/2023
Possibility of hazardous reactions	: Vapours may form explosive mixtu	ure with air.
Conditions to avoid Incompatible materials Hazardous decomposition products	<ul> <li>Heat, flames and sparks.</li> <li>Oxidizing agents</li> <li>No hazardous decomposition products are known.</li> </ul>	

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure
Inhalation
Eye contact
Skin contact

#### Acute toxicity

Not classified based on available information.

#### Components:

Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

## Components:

**Ethyl Alcohol:** Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

#### **Isopropyl Alcohol:**

Species: Rabbit Result: No skin irritation

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Components:

**Ethyl Alcohol:** Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405



Version 1.0

SDS Number: 40000000736

Revision Date: 06/01/2023

## Isopropyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

## Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

#### Components:

**Ethyl Alcohol:** Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

#### Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

	Alaahali	
ETHVI	Alcohol:	
	/	

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Isopropyl Alcohol:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Result: negative

#### Carcinogenicity

Not classified based on available information.

### Components:

**Isopropyl Alcohol:** Species: Rat Application Route: inhalation (vapour) Exposure time: 104 weeks



URELL® Advanced Hand Sanitizer ULTRA NOURISHING™ Foam			
ersion 1.0	SDS Number: 40000000736	Revision Date: 06/01/2023	
Method: OECD Test Guid Result: negative	eline 451		
IARC		No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
OSHA		No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
NTP		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
<b>Reproductive toxicity</b> Not classified based on av	vailable information.		
Components:			
Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative		
<b>Isopropyl Alcohol:</b> Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	production toxicity study	
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Result: negative	lopment	
<b>STOT - single exposure</b> Not classified based on av	vailable information.		
<u>Components:</u> Isopropyl Alcohol: Assessment: May cause o	drowsiness or dizziness.		
STOT - repeated exposu Not classified based on a			
Repeated dose toxicity			
. opened dobe toxicity			

## Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y



Version 1.0

SDS Number: 40000000736

Revision Date: 06/01/2023

#### **Isopropyl Alcohol:**

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413

## Aspiration toxicity

Not classified based on available information.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

## Components:

Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
<b>Isopropyl Alcohol:</b> Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h
Persistence and degradabilit	у
<u>Components:</u> Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
Isopropyl Alcohol: Biodegradability	: Result: rapidly degradable



Version 1.0	SDS Number: 400000000736	Revision Date: 06/01/2023
Bioaccumulative potential		
Components:		
Ethyl Alcohol: Partition coefficient: n- octanol/water Isopropyl Alcohol:	: log Pow: -0.35	
Partition coefficient: n- octanol/water	: log Pow: 0.05	
Mobility in soil		
No data available		
Other adverse effects		
No data available		
Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, ne Class I or Class II ODS as defin Section 602 (40 CFR 82, Subpt.	ed by the U.S. Clean Air Act

## SECTION 13. DISPOSAL CONSIDERATIONS

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.	Waste from residues Contaminated packaging	Empty containers should be taken to an approved waste
---	---	---

## **SECTION 14. TRANSPORT INFORMATION**

International Regulation

IATA-DGR UN/ID No. Proper shipping name Class Packing group Packing instruction (cargo	<ul> <li>UN 1987</li> <li>Alcohols, n.o.s. (Ethanol, Propan-2-ol)</li> <li>3</li> <li>III</li> <li>366</li> </ul>
aircraft) Packing instruction (passenger aircraft)	: 355
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code	<ul> <li>: UN 1987</li> <li>: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)</li> <li>: 3</li> <li>: III</li> <li>: 3</li> <li>: F-E, S-D</li> </ul>



Version 1.0	SDS Number: 40000000736	Revision Date: 06/01/2023
Marine pollutant National Regulations	: no	
<b>49 CFR</b> UN/ID/NA number Proper shipping name Class Packing group ERG Code Marine pollutant	: UN 1987 : Alcohols, n.o.s. : 3 : III : 127 : no	

## SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard		
SARA 302	:	No chemicals in this materi requirements of SARA Title	-	reporting
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		
		Isopropyl Alcohol	67-63-0	3.4086 %

## Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).			
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for			
Accidental Release Prevention (	,		
The following chemical(s) are list		t Section 111 SOCMI	
Intermediate or Final VOC's (40	CFR 60.489):		
The following chemical(s) are list	ed under the U.S. Clean Air Act	t Section 111 SOCMI	
Intermediate or Final VOC's (40	CFR 60.489):		
Ethyl Alcohol	64-17-5	65.2821 %	
Isopropyl Alcohol	67-63-0	3.4086 %	
This product does not contain ar		S Clean Air Act Section 111	
SOCMI Intermediate or Final VO			
This product does not contain an		the LLS Clean Air Act Section	
450.	y voc exemptions listed under	the 0.5. Clean All Act Section	
450.			
California Prop 65	This product does not require	a warning label under California	
-	Proposition 65.	C C	
The components of this product are reported in the following inventories:			
TSCA	On the inventory, or in complia	ance with the inventorv	
-	, , , , , , , , , , , , , , , , , , ,	,	
AICS	On the inventory, or in complia	ance with the inventory	
DSL :	On the inventory, or in complia	ance with the inventory	
DOL .		-	
DSL			
ENCS	On the inventory, or in compli	ance with the inventory	
	On the inventory, or in complia	ance with the inventory	




Version 1.0	SDS Number: 400000000736	Revision Date: 06/01/2023
ISHL	: On the inventory, or in compliance	with the inventory
KECI	: On the inventory, or in compliance	with the inventory
PICCS	: On the inventory, or in compliance	with the inventory
IECSC	: On the inventory, or in compliance	with the inventory
NZIoC	: On the inventory, or in compliance	with the inventory

## Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

## **SECTION 16. OTHER INFORMATION**

#### **Further information**



#### **Revision Date**

: 06/01/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.