



62 Kearney Street
 Paterson, New Jersey 07522
 Phone 862-257-9394
 Fax 862-257-9394

1582 Likens Road
 Marion, Ohio 43302
 Phone 740-223-0150
 Fax 740-223-0152

127 Nance Road
 Calhoun, Georgia 30701
 Phone 706-629-3030
 Fax 706-629-3080

#345

SAFETY DATA SHEET

Date Prepared: 12/17/2014

GAGRTLSSO

1. Product And Company Identification

SDS ID: SDS1200001
 PRODUCT IDENTITY: CLEAN SWEEP OIL BASE SWEEPING COMPOUND NO GRIT

MANUFACTURER:

62 Kearney Street	1582 Likens Road	127 Nance Road
Paterson, New Jersey 07522	Marion, Ohio 43302	Calhoun, Georgia 30701
Phone 862-257-9394	Phone 740-223-0150	Phone 706-629-3030
Fax 862-257-9394	Fax 740-223-0152	Fax 706-629-3080

EMERGENCY PHONE NUMBER:

Chemtrec (800) 424-9300 (US and Canada)
 (703) 527-3887 (International – Call Collect)

PRODUCT USE: Floor Sweeping Compound
 RESTRICTIONS ON USE: None identified

2. Hazards Identification

GHS/OSHA Hazcom 2012 Classification:

Health	Environmental	Physical
Carcinogen Category 1A Specific Target Organ Toxicity – Repeat Exposure Category 1	Not Hazardous	Not Hazardous

Label Elements

DANGER!



**Causes damage to lungs through prolonged or repeated inhalation exposure.
 May cause cancer if inhaled.**

<p>Prevention: Do not breathe dust. Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Wear protective gloves and clothing. Do not eat, drink or smoke when using this product</p>	<p>Response: Get medical advice if you feel unwell. Storage: Disposal: Dispose of contents and container in accordance applicable regulations.</p>
---	---



62 Kearney Street
 Paterson, New Jersey 07522
 Phone 862-257-9394
 Fax 862-257-9394

1582 Likens Road
 Marion, Ohio 43302
 Phone 740-223-0150
 Fax 740-223-0152

127 Nance Road
 Calhoun, Georgia 30701
 Phone 706-629-3030
 Fax 706-629-3080

3. Composition/Information On Ingredients

Component	CAS No.	Amount
Wood Dust	Mixture	Proprietary

The specific identity and/or exact concentration of components have been withheld as a trade secret.

4. First Aid Measures

INHALATION: Remove to fresh air. If irritation or other symptoms occurs, get medical attention.

SKIN CONTACT: Wash thoroughly with soap and water.

EYE CONTACT: Immediately flush eyes with cool running water, lifting upper and lower lids. If irritation persists or for foreign body in the eye, get medical attention.

INGESTION: If large amounts are swallowed, get medical attention. If conscious, give one glass of water. Never give anything by mouth to an unconscious person.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED: Eye contact may cause mechanical irritation and possible eye injury. May cause cancer if respirable dust is inhaled over prolonged periods. May cause skin and respiratory irritation.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT, IF NECESSARY: No immediate medical attention is required.

5. Firefighting Measures

SUITABLE EXTINGUISHING MEDIA: Use water, foam, or carbon dioxide to extinguish fire. Cool fire exposed container with water.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: This product is not flammable but the wood dust will burn under fire conditions. Thermal decomposition may produce carbon monoxide, carbon dioxide and smoke.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS: Firefighters should always wear self-contained breathing apparatus and full protective clothing for fires involving chemicals or in confined spaces.

6: Accidental Release Measures

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES: No special equipment is generally required for spill clean-up. For dusty conditions, an approved respiratory may be needed. Refer to Section 8 for additional information.

ENVIRONMENTAL HAZARDS: Report spill as required by local and federal regulations.

METHODS AND MATERIALS FOR CONTAINMENT/CLEANUP: Eliminate ignition sources. Sweep up and collect for re-use or disposal.



62 Kearney Street
 Paterson, New Jersey 07522
 Phone 862-257-9394
 Fax 862-257-9394

1582 Likens Road
 Marion, Ohio 43302
 Phone 740-223-0150
 Fax 740-223-0152

127 Nance Road
 Calhoun, Georgia 30701
 Phone 706-629-3030
 Fax 706-629-3080

7. Handling and Storage

PRECAUTIONS FOR SAFE HANDLING: Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Wash thoroughly with soap and water after use. If clothing becomes dusty, launder before re-use.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Store in a dry area. Keep away from ignition sources. Store away from oxidizers.

8. Exposure Controls / Personal Protection

EXPOSURE GUIDELINES

CHEMICAL	EXPOSURE LIMIT
Wood Dust	PEL - 5 mg/m ³ TWA (respirable dust) PEL - 15 mg/m ³ TWA (total dust) TLV - 1 mg/m ³ TWA (inhalable dust)

APPROPRIATE ENGINEERING CONTROLS: General ventilation is adequate for normal use. If handling produces airborne dust, local exhaust ventilation may be needed.

PERSONAL PROTECTIVE EQUIPMENT:

EYE PROTECTION: Safety glasses or goggles recommended.

SKIN PROTECTION: None required with normal use.

RESPIRATORY PROTECTION: None required for normal use. For operations where the dust concentration may be excessive, a dust respirator may be used. Follow OSHA regulations in the selection and use of respiratory protection.

OTHER PROTECTIVE EQUIPMENT/CLOTHING: Eye flushing equipment should be available in the work area.

9. Physical and Chemical Properties

APPEARANCE:	Granular Solid	ODOR:	Slight paraffinic odor
ODOR THRESHOLD:	Not available	pH:	Not applicable
MELTING/FREEZING POINT:	Not applicable	BOILING POINT/RANGE:	Not applicable
FLASH POINT:	None	EVAPORATION RATE:	Not applicable
FLAMMABILITY (SOLID, GAS)	Not flammable, but will burn under fire conditions	FLAMMABILITY LIMITS:	Not applicable
VAPOR PRESSURE:	Not applicable	VAPOR DENSITY:	Not applicable
RELATIVE DENSITY:	Not available	SOLUBILITIES	Water Insoluble
PARTITION COEFFICIENT (n-octanol/water)	Not available	AUTOIGNITION TEMPERATURE:	Not applicable
DECOMPOSITION TEMPERATURE:	Not available	VISCOSITY:	Not applicable



62 Kearney Street
Paterson, New Jersey 07522
Phone 862-257-9394
Fax 862-257-9394

1582 Likens Road
Marion, Ohio 43302
Phone 740-223-0150
Fax 740-223-0152

127 Nance Road
Calhoun, Georgia 30701
Phone 706-629-3030
Fax 706-629-3080

10. Stability and Reactivity

REACTIVITY: Not normally reactive

CHEMICAL STABILITY: Stable.

POSSIBILITY OF HAZARDOUS REACTIONS: Reaction with oxidizers will generate heat and may cause fire.

CONDITIONS TO AVOID: Avoid extreme heat.

INCOMPATIBLE MATERIALS: Strong oxidizing agents

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may produce carbon monoxide, carbon dioxide and smoke.

11. Toxicological Information

POTENTIAL HEALTH EFFECTS:

ACUTE HAZARDS:

INHALATION: Inhalation of dust may cause irritation to the eyes, nose, throat and respiratory tract.

SKIN CONTACT: No known hazard.

EYE CONTACT: Contact may cause mechanical, abrasive irritation with possible injury.

INGESTION: No known hazard.

CHRONIC EFFECTS: Inhalation of excessive concentrations of any dust, including this material, may lead to lung injury. Wood dust has been classified by the International Agency for Research on Cancer (IARC) as "carcinogenic to humans" (Group 1) and "known to be a human carcinogen" by the National Toxicology Program (NTP). This classification is based primarily on increased risk in the occurrence of adenocarcinomas of the nasal cavities and paranasal sinuses associated with exposure to wood dust. The physical form of this product is such that no exposure to wood dust is likely under normal conditions of use, therefore the risk of adverse health effects is minimal.

CARCINOGENICITY LISTING: Wood dust has been classified by the International Agency for Research on Cancer (IARC) as "carcinogenic to humans" (Group 1) and "known to be a human carcinogen" by the National Toxicology Program (NTP). This classification is based primarily on increased risk in the occurrence of adenocarcinomas of the nasal cavities and paranasal sinuses associated with exposure to wood dust. The physical form of this product is such that no exposure to wood dust is likely under normal conditions of use, therefore the risk of adverse health effects is minimal.

ACUTE TOXICITY VALUES:

Wood Dust: Not Available



62 Kearney Street
Paterson, New Jersey 07522
Phone 862-257-9394
Fax 862-257-9394

1582 Likens Road
Marion, Ohio 43302
Phone 740-223-0150
Fax 740-223-0152

127 Nance Road
Calhoun, Georgia 30701
Phone 706-629-3030
Fax 706-629-3080

12. Ecological Information

ECOTOXICITY: No data available for the product.

PERSISTENCE AND DEGRADABILITY: Wood dust will degrade in the environment.

BIOACCUMULATIVE POTENTIAL: Not bioaccumulative.

MOBILITY IN SOIL: No data available.

OTHER ADVERSE EFFECTS: No data available.

13. Disposal Considerations

Dispose in accordance with local, state and federal environmental regulations. Unused material is suitable for disposal in sanitary landfill. Used material may be subject to regulation, depending on the nature of the material absorbed. Check with appropriate regulatory authority for used material containing hazardous waste.

14. Transport Information

U.S. DOT HAZARD CLASSIFICATION:

PROPER SHIPPING NAME: Not Regulated

UN NUMBER: Not Applicable

PACKING GROUP: Not Applicable

LABELS REQUIRED: None



62 Kearney Street
 Paterson, New Jersey 07522
 Phone 862-257-9394
 Fax 862-257-9394

1582 Likens Road
 Marion, Ohio 43302
 Phone 740-223-0150
 Fax 740-223-0152

127 Nance Road
 Calhoun, Georgia 30701
 Phone 706-629-3030
 Fax 706-629-3080

15. Regulatory Information

EPA SARA 311/312 HAZARD CLASSIFICATION: Chronic Health

EPA SARA 313: None

CERCLA: This product is not subject to CERCLA release reporting. Many states have more stringent reporting requirements. Report releases as required by local and state regulations.

CALIFORNIA PROPOSITION 65: This product contains wood dust and D&C Red No. 19 which are known to the State of California to cause cancer.

TSCA: All of the components of this product are listed on the EPA TSCA Inventory or exempt from notification requirements.

EU REACH: Contact Oil Dri for information on REACH status.

JAPAN MITI: No data available

AICS: No data available

CANADIAN DSL: No data available

CANADIAN WHMIS CLASSIFICATION: Class D-2 A

This SDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the SDS contains all of the information required by the CPR.

16. Other Information

NFPA RATING HEALTH: 1	FIRE: 1	REACTIVITY: 0
HMIS Rating HEALTH: 1*	FIRE: 1	REACTIVITY: 0

SDS Date of Preparation/Revision:

December 17, 2014 – Conversion to Hazcom 2012 classification and labeling and format.

DISCLAIMER:

THE INFORMATION AND RECOMMENDATIONS CONTAINED HEREIN ARE BASED UPON DATA BELIEVED TO BE CORRECT. HOWEVER, NO GUARANTEE OR WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, IS MADE WITH RESPECT TO THE INFORMATION CONTAINED HEREIN. THIS MATERIAL SAFETY DATA SHEET WAS PREPARED TO COMPLY WITH THE OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910, 1200 AND SUPSEDES ANY PREVIOUS INFORMATION. PREVIOUSLY DATED SHEETS ARE INVALID AND INAPPLICABLE.